



UNIVERSITEIT VAN PRETORIA
UNIVERSITY OF PRETORIA
YUNIBESITHI YA PRETORIA



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie

School of Engineering

Department of Mechanical and Aeronautical Engineering

STUDY GUIDE: HEAT TRANSFER MTV410

Lecturer: Dr M Everts
Last Revision: 11 February 2022

© Copyright reserved

Contents

1. USING THE STUDY GUIDE.....	2
2. WHAT IS HEAT TRANSFER?	2
3. GENERAL PREMISE AND EDUCATIONAL APPROACH	3
4. MODULE OBJECTIVES	3
5. MODULE ASSESSMENT	4
6. LECTURER AND CONTACT DETAILS.....	5
7. LECTURES ON YOUTUBE	5
8. WHAT TO EXPECT OF ME AS A LECTURER	6
9. WHAT I EXPECT OF YOU AS A STUDENT.....	6
10. STUDY MATERIAL.....	6
11. PRINTING ERRORS IN THE TEXTBOOK OF CENGEL AND GHAJAR.....	6
12. LEARNING ACTIVITIES	7
12.1. CONTACT TIME AND LEARNING HOURS.....	7
12.2. LECTURES.....	7
12.3. ASSIGNMENTS	7
12.4. LABORATORY WORK.....	7
13. RULES OF ASSESSMENT	8
14. SUBMISSION OF ASSIGNMENTS PRACTICAL REPORTS.....	8
15. GENERAL.....	8
16. MODULE OBJECTIVES, ARTICULATION AND LEARNING OUTCOMES.....	9
16.1. GENERAL OBJECTIVES.....	9
16.2. PREREQUISITE LEARNING.....	9
16.3. ARTICULATION WITH OTHER MODULES IN THE PROGRAMME.....	10
17. MODULE STRUCTURE.....	10
18. STUDY THEME DESCRIPTIONS.....	12
19. PRACTICALS	15

ORGANISATIONAL COMPONENT

1. USING THE STUDY GUIDE

This study guide should not be seen simply as a document that is handed out on commencement of lectures at the beginning of a semester. It is in fact an extremely important document that you should use like a road map throughout the semester in order to complete this course successfully. Therefore, we shall spend the first lecture period on working through the study guide. This is to ensure that you are aware of the information contained in the document and to demonstrate to you how to put the document to optimal use.

The document consists of three parts. In the first part, introductory and organizational information is given, for example who the lecturer is, what to expect from the lecturer and what is expected from you. The second part contains very important study component information and the third part is the laboratory and experimental guides.

This study guide is a crucial part of the general study guide of the Department. In the study guide of the Department, information is given on the mission and vision of the department, general administration and regulations (professionalism and integrity, course related information and formal communication, workshop use and safety, grievances, support services, plagiarism, class representative duties, sick test and sick exam guidelines, vacation work, appeal process and adjustment of marks, university regulations, frequently asked questions), ECSA Graduate Attributes, ECSA knowledge areas, CDIO, new curriculum and assessment of cognitive levels. It is expected that you are very familiar with the content of the Departmental Study Guide. It is available in English and Afrikaans on the Department's website.

English:

https://www.up.ac.za/media/shared/120/Noticeboard/2021/departmental-studyguide-eng-2021_version27may2021.zp204392.pdf

Take note of the specific instructions in the above study guide on:

- a. Safety**
- b. Plagiarism**
- c. What to do if you were sick (very important)?**
- d. Appeal process on the adjustment of marks**

2. WHAT IS HEAT TRANSFER?

Heat transfer or thermal sciences (fluid mechanics and heat transfer) concerns the experimental fact that heat energy flows from bodies at a higher temperature to bodies at a lower temperature; in agreement with the Second Law of thermodynamics. It includes storage of heat as internal energy, the various mechanisms for heat transfer and the rate at which transfer takes place. The fundamental principle is the First Law of thermodynamics: the principle of energy conservation.

$$dU = \delta Q - \delta W$$

The change in internal energy (dU) equals heat gained (δQ) minus work done (δW). In heat transfer this principle is called the heat balance. We are not interested in the work term, δW , of the first law, only the heat term, δQ is relevant. With $\delta W = 0$ the first law becomes

$$dU = \delta Q$$

Thus, the change in internal energy = heat transferred.

Heat transfer is phenomenological, i.e. it is based on laws that are empirically observed, rather than deep theory.

Even-though heat transfer is presented very late in the mechanical engineering course, it is one of the basic subjects of the discipline. All mechanical and electrical systems dissipate heat. In most mechanical engineering systems, the conversion of heat in mechanical work is a fundamental principle of operation. Students wishing to train themselves as mechanical engineers must, accordingly, endeavour to obtain a comprehensive understanding of the principals involved in heat transfer. In addition, a wide knowledge of the application of the principles is required. MTV410 is only an introduction to the subject; after successful completion of the course the student should have a thorough understanding of the principles. The design of practical systems requires more than just comprehension of principles: an elegant design solution requires experience and consideration of many fine details. To design, requires that the designer integrates his knowledge of heat transfer, with his knowledge of thermodynamics, fluid flow and strength of materials, etc.

3. GENERAL PREMISE AND EDUCATIONAL APPROACH

The general objective with this module is to emphasize **understanding** rather than memorising, in order to **visualize** engineering solutions and to stimulate **creative thinking** in the field of heat transfer. A problem-driven approach to learning is followed. Student-centred and co-operative learning and teaching methods are applied during lectures and practical sessions, in order to develop the above-mentioned skills optimally, as well as to stimulate the development of communication skills, interpersonal skills and group dynamics.

Heat transfer is a critical component of not only mechanical engineering but also of various other disciplines. In the study of this module skills are developed that will enable the learner to understand and apply the basics and principles of heat transfer. These fundamentals will be used to solve a vast majority of engineering problems.

4. MODULE OBJECTIVES

- To establish the governing equations and a firm understanding of the applications of conduction, convection, and radiation heat transfer
- To develop a working knowledge of recognizing one-dimensional conduction heat transfer problems in a given application or real life problem
- To develop a thorough understanding of the steady state multidimensional heat transfer and their solution methodologies
- To develop a thorough understanding of the unsteady state heat transfer and their solution methodologies
- To develop adequate procedures for quantifying convection heat transfer effects in external and internal flow applications
- To develop the ability to use the heat transfer principles in thermal design problems

5. MODULE ASSESSMENT

Module objective	Intended educational outcomes	Means of assessment
<p>Objective 1: To establish the governing equations and a firm understanding of the applications of conduction, convection, and radiation heat transfer</p>	<ul style="list-style-type: none"> • Students will demonstrate an understanding of the modes of heat transfers and solve problems using their associated rate equations. • Students will recognize multimode heat transfer problems and demonstrate the ability to use the energy balance conservation to solve such problems. 	<p>Locally developed tests and exams. Assignments Practical experiments and reports</p>
<p>Objective 2: To develop a working knowledge of recognizing one-dimensional conduction heat transfer problems in a given application or real life problem</p>	<ul style="list-style-type: none"> • Students will demonstrate an ability to solve one-dimensional dimensional conduction including heat sources and convective boundary conditions, solving extended surface problems; straight pin fin; heat rate and temperature distribution. 	<p>Locally developed tests and exams. Assignments Practical experiments and reports</p>
<p>Objective 3: To develop a thorough understanding of the unsteady state heat transfer and their solution methodologies</p>	<ul style="list-style-type: none"> • Students will demonstrate the ability to solve unsteady state, one-dimensional conduction using lumped capacitance method. 	<p>Locally developed tests and exams. Assignments Practical experiments and reports</p>
<p>Objective 4: To develop adequate procedures for quantifying convection heat transfer effects in external and internal flow applications</p>	<ul style="list-style-type: none"> • Ability to solve governing equations of convective heat transfer for internal flow with external convection; fully developed flow in a pipe velocity effects, convection coefficient; transition effects; temperature dependent properties. 	<p>Locally developed tests and exams. Assignments Practical experiments and reports</p>
<p>Objective 6: To develop the ability to use the heat transfer principles in thermal design problems</p>	<ul style="list-style-type: none"> • Students will undertake the design of a thermal system to demonstrate the ability 	<p>Locally developed tests and exams. Assignments Practical experiments and reports</p>

6. LECTURERS AND CONTACT DETAILS

	Name	Office	Tel:	E-mail:
Lecturer	Dr M Everts	Eng 3, 6-101	420 6891	marilize.everts@up.ac.za
Teaching assistants for practicals:				
Practical 1	Mr Mark Coetzee			u17087865@tuks.co.za
Practical 2				
Practical 3	Mr Mitchell Whiting			u18056182@tuks.co.za

7. LECTURES ON YOUTUBE

All lectures (since 2013) are available on YouTube: <https://www.youtube.com/HeatTransferUP>

2013 Playlist

<https://www.youtube.com/playlist?list=PLogCfdsrpUTPIh-2jxa3IG3MxJmBJyayJ>

2014 Playlist

<https://www.youtube.com/playlist?list=PLogCfdsrpUTNodmUyIEuhvirUtUELMjFF>

2015 Playlist (Internal Forced Convection Chapter only as I was on sabbatical leave)

<https://www.youtube.com/playlist?list=PLogCfdsrpUTPIh-2jxa3IG3MxJmBJyayJ>

Problems on Internal Forced Convection only

https://www.youtube.com/playlist?list=PLogCfdsrpUTOGt9bOO6LftFoMh_7PNFIH

2016 Playlist: only on Transient conduction and internal forced convection

<https://www.youtube.com/playlist?list=PLogCfdsrpUTOiRBa2HS8h2sdL1QXWuIFy>

2017 Playlist

https://www.youtube.com/playlist?list=PLogCfdsrpUTMe1BLu_41xEsKG5rWQEeaV

2018 Playlist

<https://www.youtube.com/playlist?list=PLogCfdsrpUTMCZyu5J7mPGLewFBNfJpjP>

2019 Playlist

<https://www.youtube.com/playlist?list=PLogCfdsrpUTNdT8k7dabj8UrEHYNHq8ne>

2020 Playlist (only eight new videos because of Covid; videos of previous years were used for the rest of the module)

<https://www.youtube.com/watch?v=cjJ2LV5k8B8&list=PLogCfdsrpUTNhvRq-ywbDcj7-1248IBBP>

The videos should be used as revision material and as supplementary information. The examples in the videos in most cases differ from year to year.

The objectives of these videos are:

- a. Additional opportunities for support/revision while preparing for tests and exams.
 - b. In many/most cases different problems/examples are used.
 - c. The approach of how theoretical material is explained, changes every year.
 - d. As support if you were sick and could not attend class.
 - e. To support staff and students at other universities who have challenges with staff or technical substance and depth.
 - f. To support engineers in industry with continuous professional development.
- Specifically objectives (a) and (d) above are of relevance to you.

8. WHAT TO EXPECT OF ME AS A LECTURER

I undertake to:

- a. share with you my knowledge and experience and, in doing so, prepare you for practice;
- b. attempt to establish a love for the subject within you and aid your academic development;
- c. hand out test results as soon as possible (in most cases the following day);
- d. be well-prepared for formal lectures;
- e. do everything in my ability to explain the work to you as well as possible and to make it as understandable as possible;
- f. treat you in a professional manner;
- g. be fair and courteous towards you at all times;
- h. never humiliate you for asking a question during lectures (even if you and/or your class-mates should regard it as a 'stupid' question);
- i. do everything in my power to help you pass the course.

9. WHAT I EXPECT OF YOU AS A STUDENT

I expect you to:

- a. work VERY hard
- b. show loyalty and integrity;
- c. be dutiful and enthusiastic in your work;
- d. behave in a disciplined manner in class;
- e. discuss any problems you may experience with regard to the subject with me as soon as possible;
- f. ask questions freely during lectures;
- g. act professionally.

10. STUDY MATERIAL

Prescribed books:

Heat and Mass Transfer, Fundamentals and Applications: 6th Edition, Yunus Çengel and Afshin Ghajar, McGraw-Hill, ISBN-978-981-315-896-2, 2020.

Please take note: DO NOT BUY EDITION 5 (prescribed until 2020). BUY EDITION 6.

11. PRINTING ERRORS IN THE TEXTBOOK OF CENGEL AND GHAJAR

Errata and for more recent updates check: To be confirmed

It is important that you make these changes to ensure you use the correct formulas, graphs, etc., in the tests and exams. We cannot take responsibility if you use the incorrect version in tests and exams. This information is given to ensure that you are aware of the changes that should be made.

12. LEARNING ACTIVITIES

12.1. Contact time and learning hours

Number of lectures per week: 3

Number of tutor classes per week: 1

Laboratory work: Three sessions of approximately one hour each.

This module carries a weighting of 16 credits, indicating that on average a student should spend some 160 hours to master the required skills (including time for preparation for tests and examinations). This means that on average you should devote some 10 hours of study time per week to this module. The scheduled contact time is approximately three hours per week, which means that another seven hours per week of own study time should be devoted to the module.

12.2. Lectures

Lectures do not cover all the textbook material; they concentrate on central themes and examples. In order to improve comprehension, parts of the class discussion are based on alternative sources. However, students can base their studies on the textbook and the class notes. The examples in the textbook are most important and must be carefully studied.

In the class discussions the lecturer identifies those parts of the course material which he/she regards as of primary importance. These topics are often further clarified through alternative sources. Central themes are explained. Obviously, test and the examination tend to concentrate on the issues which are discussed in the lectures; but, a few questions are also included to measure the self-tuition efforts of students. Students who are absent from lectures must decide for themselves which parts of the course material are more important. These students are clearly at a disadvantage and will have to work a lot harder. The most efficient way of studying heat transfer is to attend all lectures fully prepared, and to follow the discussion carefully. Students attending lectures unprepared will derive much less benefit. The lecturer assumes that, at least, the particular sections of the textbook that are being discussed, as well as the examples, and the problems at the end of the particular chapter, have been read through carefully.

Do not hesitate to ask questions.

12.3. Assignments

For every chapter, homework is assigned. The homework will be assessed in a class test.

12.4. Laboratory work

There are three practical sessions that will take place online. It is a precondition for admission to the final examination that ALL the practicals be passed. The practical guide gives more information about the experiments.

Students are expected to prepare for each practical session. A short report on each experiment must be submitted. The minimum mark for a practical report is 50%. Marks below 50% are discarded and the report must be corrected.

13. RULES OF ASSESSMENT

To be admitted to write exam:

1. obtain a semester mark of 40% and higher
and
2. obtain a subminimum of 50% for every practical
and
3. also attend all the scheduled laboratory sessions.

Pass requirements: In order to pass this module a student must

1. obtain a final mark of at least 50%
and
2. obtain a subminimum of 50% for each practical and also attend all the scheduled laboratory sessions.

Calculation of the final mark:

Semester mark:	50%
Examination mark:	50%

Calculation of the semester mark:

Semester test 1	30%
Semester test 2	30%
Laboratory work	10%
Class tests	20%
Assignments	10%

Semester tests and exam. Two tests of 90 minutes each will be written during the scheduled test weeks of the School of Engineering. Dates and times will be announced as soon as the timetables become available. The exam can be online OR physical (depending on lockdown level one of the two will be applicable). The semester tests and exam are open book and therefore it is a requirement that you bring with you the prescribed text book of Cengel and Ghajar.

14. SUBMISSION OF ASSIGNMENTS AND PRACTICAL REPORTS

All assignments and practical reports should be submitted on ClickUP within seven days after a chapter was completed (or seven days after the practical was conducted), unless otherwise stated.

15. GENERAL

This study guide is part of the official study guide of the Department.

I trust you will enjoy the lectures and your studies and complete the course with great success!
All the best!

16. MODULE OBJECTIVES, ARTICULATION AND LEARNING OUTCOMES

16.1. General objectives

Heat transfer is not a difficult subject. The level of abstraction in the basic concepts is quite low, and the required level of mathematical skill is not high. Students who are familiar with solution of the basic partial differential equations, of e.g. fluid flow, should experience no difficulty. It is assumed that students are capable of solving standard differential equations and are familiar with surface- and volume integrals, as well as matrices. The solution of the diffusion equation, through the separation of variables technique, and other boundary value problems, are discussed briefly in the lectures. Students who are knowledgeable of the solution of two-dimensional potential problems with complex analysis will derive benefit from this knowledge, but no complex number algebra is used in the lectures.

The “art” of studying heat transfer successfully, is to absorb a large number of new concepts quickly, and to learn to discriminate between the huge variations of problems. The variations are caused by the different mechanisms of heat transfer (conduction, convection, radiation, latent heat, etc.), and the complications caused by many different physical geometry’s. In addition, a great deal of empirical knowledge (mainly concerned with convection), must be integrated with the fundamental principles. Please note that it is impossible to absorb these details a few hours before a test or examination. The best way of preparation is to learn to discriminate between various cases by attempting to do as many problems as possible. Students who diligently work, and each week make certain that they understand the work, should succeed with good results.


Due to the large number of concepts, and many details, comprehensive discussion of the subject matter in the lectures is impossible. The lectures concentrate on central themes and are to be regarded as supplementary to the prescribed textbook. The textbook is not discussed in the lectures, but is used for self-tuition. Self-tuition is the most important component of the course. Students who fail to prepare themselves for the lectures will not derive much benefit from attendance. On the other hand: no student who fails to attend the lectures can expect to do well. In the lectures important concepts are pointed out and explained.

Tests and the examination are intended to measure the students' understanding of basic principles, and to evaluate the insight and capability of students to solve specific problems. Evaluation is always based on the study goals that follow later in this study guide.

16.2. Prerequisite learning

The subject is presented late in the mechanical engineering curriculum because it is to a large extent based on prior knowledge from other subjects. For conduction, students must have knowledge of the solution of partial differential equations. Convection is based on fluid flow (boundary layer theory). Radiation is based on quantum mechanical principles of electromagnetic radiation.

16.3. Articulation with other modules in the programme



17. MODULE STRUCTURE

Study theme and Study units	Mode of instruction	Learning hours	Contact session: estimated
1. Introduction and basic concepts Heat transfer mechanisms Conduction Convection Radiation	Lectures Problems in class Self-study	3	1
2. Heat conduction equation General heat conduction equation Boundary and initial conditions	Self-study	3	0
3. Steady heat conduction Steady heat conduction in plane walls Thermal contact resistance Generalized thermal resistance networks Heat conduction in cylinders and spheres Critical radius of insulation Heat transfer from finned surfaces	Lectures Problems in class Self-study	20	4
4. Transient heat conduction Lumped systems analysis Transient heat conduction in large plane walls, long cylinders, and spheres with spatial effects	Lectures Problems in class Self-study	16	2

<p>5. Fundamentals of convection Physical mechanism of convection Classification of fluid flows Velocity boundary layer Thermal boundary layer Laminar and turbulent flows Heat and momentum transfer in turbulent flow Derivation of differential convection equations Solutions of convection equations for a flat plate Non-dimensionalized convection equations and similarity Functional forms of friction and convection coefficients Analogies between momentum and heat transfer (Additional notes on the results of recent research provided)</p>	Lectures Problems in class Self-study	20	4
<p>6. External forced convection Drag and heat transfer in external flow Parallel flow over flat plates Flow across cylinders and spheres Flow across tube banks</p>	Lectures Problems in class Self-study	24	2
<p>7. Internal forced convection Introduction Average velocity and temperature The entrance region (Additional notes on the results of recent research provided) General thermal analysis Laminar flow in tubes Turbulent flow in tubes Mixed convection (Additional notes on the results of recent research provided)</p>	Lectures Problems in class Self-study	24	6
<p>8. Natural convection Physical mechanism of natural convection Equation of motion and the Grashof number Natural convection over surfaces Natural convection from finned surfaces Natural convection inside enclosures Combined natural and forced convection (Additional notes on the results of recent research provided)</p>	Lectures Problems in class Self-study	10	4
<p>9. Heat exchangers Types of heat exchangers The overall heat transfer coefficient Analysis of heat exchangers</p>	Lectures Problems in class Self-study	20	4

The log mean temperature difference method The effectiveness – NTU method Selection of heat exchanger			
10. Radiation heat transfer Thermal radiation Blackbody radiation Radiation intensity Radiative properties Atmospheric and solar radiation View factor View factor relations Radiation heat transfer: black surfaces Radiation heat transfer: diffuse, gray surfaces Radiation shields and radiation effect Radiation exchange with emitting and absorbing gasses	Lectures Problems in class Self-study	20	3
Total		160	30

The notional hours include the contact time, as well as the estimated time allowed for preparation for tests and exams.

18. STUDY THEME DESCRIPTIONS

STUDY THEME 1: INTRODUCTION AND BASIC CONCEPTS

Study unit: Çengel and Ghajar: Chapter 1

Outcomes

As specified by Çengel and Ghajar: : “When you finish studying this chapter, you should be able to:
Understand the basic mechanisms of heat transfer, which are conduction, convection, radiation, and Fourier’s Law of heat conduction, Newton’s law of cooling, and the Stefan Boltzmann law of radiation

Homework problems

Problems: 1.47, 1.60, 1.73

STUDY THEME 2: HEAT CONDUCTION EQUATION

Study unit: Çengel and Ghajar: Chapter 2

Outcomes

As specified by Çengel and Ghajar: : “When you finish studying this chapter, you should be able to:
Obtain the differential equation of heat conduction in various coordinate systems, and simplify it for steady one-dimensional case,
Identify the thermal conditions on surfaces, and express them mathematically as boundary and initial conditions,
Solve one-dimensional heat conduction problems on obtain the temperature distribution within a medium and the heat flux.

STUDY THEME 3: STEADY HEAT CONDUCTION

Study unit: Çengel and Ghajar: Chapter 3

Outcomes

As specified by Çengel and Ghajar: : “When you finish studying this chapter, you should be able to:

Understand the concepts of thermal resistance and its limitations, and develop thermal resistance networks for practical heat conduction problems,
Solve steady conduction problems that involve multilayer rectangular, cylindrical, or spherical geometries,
Develop an intuitive understanding of thermal contact resistance, and circumstances under which it may be significant,
Identify applications in which insulation may actually increase heat transfer,
Analyse finned surfaces, and assess how efficiently and effectively fins enhance heat transfer.

Homework problems

Problems: 3.16, 3.22, 3.49, 3.65, 3.68, 3.136, 3.138

STUDY THEME : TRANSIENT HEAT CONDUCTION

Study unit: Çengel and Ghajar: Chapter 4

Outcomes

As specified by Çengel and Ghajar: : “When you finish studying this chapter, you should be able to:
Assess when the spatial variation of temperature is negligible, and temperature varies nearly uniformly with time, making the simplified lumped system analysis applicable,
Use analytical solutions for transient one-dimensional conduction problems in rectangular, cylindrical, and spherical geometries using the method of separation of variables, and understand why a one-term solution is usually a reasonable approximation”

Homework problems

Problems: 4.17, 4.24, 4.34, 4.54, 4.60, 4.61

STUDY THEME 5: FUNDAMENTALS OF CONVECTION

Study unit: Çengel and Ghajar: Chapter 6

Outcomes

As specified by Çengel and Ghajar: : “When you finish studying this chapter, you should be able to:
Understand the physical mechanism of convection, and its classification,
Visualize the development of velocity and thermal boundary layers during flow over surfaces,
Gain a working knowledge of the dimensionless Reynolds, Prandtl, and Nusselt numbers,
Distinguish between laminar and turbulent flows, and gain an understanding of the mechanisms of momentum and heat transfer in turbulent flow,
Derive the differential equations that govern convection on the basis of mass, momentum, and energy balances, and solve these equations for some simple cases such as laminar flow over a flat plate,
Nondimensionalize the convection equations and obtain the functional forms of friction and heat transfer coefficients, and
Use analogies between momentum and heat transfer, and determine heat transfer coefficient from knowledge of friction coefficient.”

Homework problems

Problems: 6.8, 6.21, 6.46, 6.71, 6.79, 6.98, 6.110

STUDY THEME 6: EXTERNAL FORCED CONVECTION

Study unit: Çengel and Ghajar: Chapter 7

Outcomes

As specified by Çengel and Ghajar: “When you finish studying this chapter, you should be able to:
Distinguish between internal and external flow,
Develop an intuitive understanding of friction drag and pressure drag, and evaluate the average drag and convection coefficients in external flow,
Evaluate the drag and heat transfer associated with flow over a flat plate for both laminar and turbulent flow,
Calculate the drag force exerted on cylinders during cross flow, and the average heat transfer coefficient, and

Determine the pressure drop and the average heat transfer coefficient associated with flow across a tube bank for both in-line and staggered configurations.”

Homework problems

Problems: 7.40, 7.53, 7.71, 7.102, 7.110, 7.113, 7.132

STUDY THEME 7: INTERNAL FORCED CONVECTION

Study unit: Çengel and Ghajar: Chapter 8

Outcomes

As specified by Çengel and Ghajar: “When you finish studying this chapter, you should be able to:

Obtain average velocity from a knowledge of velocity profile, and average temperature from a knowledge of temperature profile in internal flow,

Have a visual understanding of different flow regions in internal flow, such as the entry and the fully developed flow regions, and calculate hydrodynamic and thermal entry lengths,

Analyze heating and cooling of a fluid flowing in a tube under constant surface temperature and constant surface heat flux conditions, and work with the logarithmic mean temperature difference,

Obtain analytic relations for the velocity profile, pressure drop, friction factor, and Nusselt number in fully developed laminar flow, and

Determine the friction factor and Nusselt number in fully developed turbulent flow using empirical relations, and calculate the pressure drop and heat transfer rate. “

Additional outcomes based on recent published research:

Have a visual understanding of forced and mixed convection internal flow and criteria to be able to distinguish between forced and mixed convection (also Chapter 9).

Determine the Nusselt numbers and friction factors for mixed convection.

Homework problems

Problems: 8.25, 8.47, 8.67, 8.88, 8.99, 8.109, 8.115

STUDY THEME 8: NATURAL CONVECTION

Study unit: Çengel and Ghajar: Chapter 9

Outcomes

As specified by Çengel and Ghajar: “When you finish studying this chapter, you should be able to:

Understand the physical mechanism of natural convection,

Derive the governing equations of natural convection, and obtain the dimensionless Grashof number by nondimensionalizing them,

Evaluate the Nusselt number for natural convection associated with vertical, horizontal, and inclined plates as well as cylinders and spheres,

Examine natural convection from finned surfaces, and determine the optimum fin spacing,

Analyze natural convection inside enclosures such as double-pane windows, and

Consider combined natural and forced convection, and assess the relative importance of each mode.”

Additional outcomes based on recent published research:

Determine the convection flow regime from flow regime maps.

Homework problems

Problems: 9.51, 9.62, 9.64, 9.90, 9.91, 9.114, 9.147

STUDY THEME 9: HEAT EXCHANGERS

Study unit: Çengel and Ghajar: Chapter 11

Outcomes

As specified by Çengel and Ghajar: “When you finish studying this chapter, you should be able to:

Recognize numerous types of heat exchangers, and classify them,
 Develop a awareness of fouling on surfaces, and determine the overall heat transfer coefficient for a heat exchanger,
 Perform a general energy analysis on heat exchangers,
 Obtain a relation for the logarithmic mean temperature difference for use in the LMTD method, and modify it for different types of heat exchangers using the correction factor,
 Develop relations for effectiveness, and analyze heat exchangers when outlet temperatures are not known using the effectiveness-NTU method,
 Know the primary considerations in the selection of heat exchangers.”

Homework problems

Problems: 11.23, 11.48, 11.50, 11.91, 11.102, 11.118, 11.150

STUDY THEME 10: RADIATION HEAT TRANSFER

Study unit: Çengel and Ghajar: Chapter 12

Outcomes

As specified by Çengel and Ghajar: : “When you finish studying this chapter, you should be able to:
 Calculate the fraction of radiation emitted in a specified wavelength band,
 Understand the properties emissivity, absorptivity, reflectivity and transmissivity,
 Calculate view factor,
 Obtain relations for net rate of radiation heat transfer between enclosure surfaces.”

Homework problems

Problems: Refer to class examples

19.PRACTICALS

There are three practical sessions that should be completed.

Practical	Description
1	Steady heat conduction
2	Transient heat conduction
3	Heat exchangers

Take note of the contact details of the TA's in section 6

The practical sessions are attended in groups of six persons.

PRACTICAL 1: STEADY HEAT CONDUCTION

1. Goal:

The purpose of this experiment is two-fold:

- a) To give the students the opportunity to investigate the application of the Fourier Rate equation for simple one dimensional steady-state heat conduction;
- b) To introduce typical steady heat conduction calculations to determine the thermal conductivity of a certain material from the measured heat flow.

2. Preparation:

In preparation, do the following revision:

- a) Read Cengel §2-3 - §2-4 to understand the principles of the general heat conduction equation and boundary conditions.
- b) Read Cengel §3-1 - §3-2 to understand the principles of steady heat conduction in plane walls as well as thermal contact resistance.
- c) Read Cengel § 3-3 to understand the concept of thermal resistances.
- d) Review the principles of operation of thermocouples and review the operation of the Heat Transfer Service Unit (HT10XC – Appendix B).

A short quiz must be completed beforehand to ensure preparation and the get access to the session.

3. Apparatus:

The Linear Heat Conduction accessory consists of:

- a) A heating section manufactured from a 25 mm diameter cylindrical brass bar with a cartridge type electrical heating element.
- b) Intermediate sections incorporating different metal specimens as follows:
 - I. 30 mm long brass specimen (25 mm diameter cylindrical bar), fitted with 2 thermocouples 15 mm apart.
 - II. 30 mm long stainless steel specimen (25 mm diameter cylindrical bar)
 - III. 30 mm long aluminium alloy specimen (25 mm diameter cylindrical bar)
 - IV. 30 mm long brass specimen with reduced diameter (13mm diameter cylindrical bar)
- c) A cooling section manufactured from a 25 mm diameter cylindrical brass bar which is cooled at one end by passing water through galleries in the section.

Thermocouples are used to measure the temperature gradient along the section to which they are attached. The thermocouples are uniformly spaced 15 mm from each other and the positions are indicated in Figure 1:

- Three thermocouples (T1, T2 and T3) are positioned along the heated section.
- Three thermocouples (T6, T7 and T8) are positioned along the cooling section.
- Two thermocouples (T4 and T5) are positioned along the brass intermediate section.

A schematic of the Linear Heat Conduction accessory can be found in Figure 2 and Figure 3 of Appendix A.




Figure 1: Thermocouple positions.

4. Experimental Procedure:

- After lightly coating the mating faces with thermal paste, clamp the intermediate section between the heated and cooled section of the Linear Heat Conduction accessory.
- Set the voltage of the heating section by adjusting the voltage control potentiometer to give a reading of 12 V on the top panel display with the selector switch set to position V.
- Allow the temperature reading to stabilize.
- When the temperatures have stabilized, use the lower selector switch on the console, to set the console display to each temperature sensor in turn and record the following T1, T2, T3, T4, T5, T6, T7, T8, V, I and Fw.
- Repeat steps (b) to (d) for 15 V and 17 V.

Do steps (a)-(e) for the 25 mm diameter brass intermediate section (instrumented with two thermocouples), as well as for the 25 mm diameter aluminium alloy intermediate section.

5. Questions:

- Do the following for each voltage for the 25 mm diameter brass intermediate section:
- Determine the heat flow (power input to the heater).
- Determine the temperature difference across the heated section.
- Determine the thermal conductivity of the heated section.
- Determine the temperature difference across the intermediate section.
- Determine the thermal conductivity of the intermediate section.
- Determine the temperature difference across the cooled section.
- Determine the thermal conductivity of the cooled section.
- Compare the calculated value for the thermal conductivity of the brass in the three sections at the same heat flow.

- j) Plot a graph of temperature against position along the bar and draw the best straight line through the points.
- k) Calculate the average thermal conductivity of the brass bar using the gradient of each straight line and the corresponding heat flow through the bar. Compare the value obtained with the values previously obtained for each individual section of the bar and comment on any difference.

Do the following for each voltage for the 25 mm diameter aluminium alloy intermediate section:

- a) Determine the heat flow (power input to the heater).
- b) Determine the temperature of the hot surface of the intermediate section (T_{hot}).
- c) Determine the temperature of the cold surface of the intermediate section (T_{cold}).
- d) Determine the temperature difference across the intermediate section.
- e) Determine the thermal conductivity of intermediate section.
- f) Determine the total resistance to heat flow.

$$U = \frac{Q}{A(T_1 - T_8)}$$

- g) Determine the overall heat transfer coefficient.
- h) Compare the two values obtained for the Overall Heat Transfer Coefficient U and $U = 1/R$ and comment on any difference in the values obtained.
- i) Compare the values obtained for the thermal conductivity of intermediate section at the different settings of heat flow through the specimen.
- j) Plot a graph of temperature against position along the bar and draw the best straight line through the points for the heated section and cooled section. Extrapolate each line to the joint with the intermediate section then join these two points to give the gradient through the intermediate section.
- k) Calculate the average thermal conductivity of the aluminium alloy bar using the temperature gradient of each straight line and the corresponding heat flow through the intermediate section. Compare with previous values obtained and comment on any difference.

6. Report:

Submit a complete report containing the following:

- a) Goal
- b) Objectives
- c) Schematic of the experimental set-up (not a photo)
- d) Results (raw data) and answers to all the questions above (including one sample calculation for each question)
- e) Discussion of results and paying special attention to:
 - What was the effect of varying the heater power, if any?
 - Temperature gradients of the different materials.
- f) Conclusions
- g) Nomenclature

Appendix A:




Figure 1: Side view of Linear Heat Conduction accessory (Armfield, 2010)




Figure 2 Top View of HT11C

Figure 2: Top view of Linear Heat Conduction accessory (Armfield, 2010)

- 2) Thermocouples
- 3) Miniature thermocouple plug
- 5) 30 mm long brass specimen (25 mm diameter cylindrical bar), fitted with 2 thermocouples
- 6) Heating element
- 7) Heating section
- 8) Cooling section
- 14) Intermediate sections (described in part 3 of this guide)
- 15) Toggle clamps
- 16) Cold water inlet

Appendix B:




Figure 1: Front view of Heat Transfer Service Unit (Armfield, 2010)

- 1) Mains standby switch
- 2) Manual / Remote switch
- 3) Multi-turn potentiometer
- 5) Top panel meter
- 6) Measurement selector switch
- 11) Cooling water flow sensor is connected to the socket marked Fw
- 12) Thermocouple socket
- 13) The required temperature reading is selected via a switch
- 14) Adjacent panel meter
- 15) The Auxiliary drive potentiometer
- 16) The Residual Current Circuit Breaker
- 17) The mains power output socket
- 18) The low voltage DC export socket
- 19) The auxiliary output

20) The mains power input socket




Figure 2: Rear view of Heat Transfer Service Unit (Armfield, 2010)

PRACTICAL 2: TRANSIENT HEAT CONDUCTION

1. Goal

The purpose of this experiment is two-fold:

- a) To observe transient conduction of heat to the centre of a solid sphere when a step change is applied to the temperature at the surface of the shape
- b) Use analytical transient-temperature approximations to determine the conductivity of a solid sphere from measurements taken on a similar sphere but having a different conductivity.

2. Preparation

Read and understand the principles of transient heat conduction (Cengel §4-1 and §4-2) with emphasis on transient heat conduction in spheres with spatial effects.

3. Apparatus

A schematic representation of the apparatus appears in Figure 1 of the appendix. It consists of a heated water bath with a circulating pump and a flow duct in which the various shapes are placed. The shapes used for this experiment are a sphere 45 mm diameter manufactured in Brass and a sphere 45 mm diameter manufactured in Stainless Steel.

The heat transfer service unit serves as a power source for the circulating pump, data logger for the thermocouples and as computer-accessory interface.

Thermocouple T1 is located at the base of the flow duct, inside the water bath, and allows the temperature of the water to be monitored and adjusted to the required temperature before immersing the shapes. Thermocouple T2 is mounted on the shape holder and contacts the hot water at the same instant as the solid shape does and provides an accurate datum for temperature/time measurements. A Thermocouple T3 is installed permanently inside each of the solid shapes.

4. Experimental procedure

- a) Adjust the thermostat on the water heater to setting '4' and check that the red light is illuminated indicating that power is connected to the heating element.
- b) Set the voltage to the circulating pump to 12 Volts, using the control box on the mimic diagram software screen.
- c) Allow the temperature of the water to stabilise (monitor the changing temperature T1 on the software screen).
- d) The water must be in the range 80 - 90°C for satisfactory operation. If outside this range adjust the thermostat and monitor T1 until the temperature is satisfactory.
- e) Attach the brass sphere to the shape holder (insert the insulated rod into the holder and secure using the transverse pin) but do not hold the metal shape or subject it to a change in temperature. Check that the thermocouple attached to the shape is connected to T3 on the service unit. Check that the thermocouple wire is located in the slot at the top of the shape holder.
- f) Check that the temperature of the shape has stabilised (same as air temperature T2).
- g) Switch off the electrical supply to the water bath (switch off the RCD on the connection box) to minimise fluctuations in temperature if the thermostat switches on/off.
- h) Start continuous data logging by selecting the 'GO' icon on the software toolbar. 

- i) Allow the temperature of the shape to stabilise at the hot water temperature (monitor the changing temperature T3 on the mimic diagram software screen).
- j) When temperature T3 has stabilised, select the 'STOP' icon to end data logging. 
 - I. Create a new results sheet. 
 - II. Switch on the electrical supply to the water bath to allow the thermostat to maintain the water temperature.
 - III. Remove the brass sphere from the shape holder then fit the stainless steel sphere.
 - IV. Repeat the above procedure to obtain the transient response for the stainless steel sphere. Remember to create a new results sheet at the end, ready for the next set of results.

5. Questions

- a) Plot the graph of T2 and T3 versus time for the brass sphere on a single graph.
- b) Using the approximate analytical solution, calculate the convection heat transfer coefficient 'h' assuming $k = 121 \text{ W/m}\cdot\text{K}$ for brass.
- c) Plot the graph of T2 and T3 versus time for the stainless steel sphere on a single graph.
- d) Using the same method, for the second graph, calculate the thermal conductivity 'k' for the stainless steel sphere.
- e) What conclusions can be drawn from the material properties of the respective spheres based on the above graphs?
- f) Using the approximate analytical solution, determine the time duration for T_o to reach $T_{\infty} - 20^\circ\text{C}$; T_o to reach $T_{\infty} - 10^\circ\text{C}$; and T_o to reach $T_{\infty} - 3^\circ\text{C}$. (Assume $\alpha = 3.7 \times 10^{-5} \text{ m}^2\text{s}^{-1}$ for brass and $\alpha = 0.6 \times 10^{-5} \text{ m}^2\text{s}^{-1}$ for stainless steel).

6. Report

Submit a complete report containing the following:

- a) Goal
- b) Objectives
- c) Schematic of the experimental set-up (not a photo)
- d) Results (raw data) and answers to all the questions above (including one sample calculation for each question)
- e) Graphs of T3 & T2 versus time, for brass and stainless steel. The graphs should include the three analytically determined points as outlined in the question.
- f) Discussion of results and paying special attention to:
 - Conductivity and diffusivity of the respective materials.
 - What physical parameters of the experiment can be varied as to increase or decrease the time to reach steady state.
 - Critically analyse the experimental setup and discuss its limitations.
- g) Conclusions
- h) Nomenclature

Appendix:




Figure 1: Heat Transfer Service Unit and Unsteady Heat Transfer Accessory (Armfield, 2010)

Practical 3: Heat Exchangers

1. Goal

The purpose of this experiment is three-fold:

- To investigate and assess the different types and methodologies of heat exchangers.
- To introduce typical characteristics necessary, for example the overall heat transfer coefficient and energy balance analysis of heat exchangers.
- To demonstrate the heat transfer process using different heat exchangers.

2. Preparation

- a) Read and understand principles of operation of the different heat exchangers (Cengel §11-1 to §11-5).
- b) Read Cengel §8-5 and §8-6 to understand the relationship between Reynolds number and Nusselt number.

3. Apparatus

3.1. Plate heat exchanger

A schematic representation of the plate heat exchanger in a counterflow configuration appears in Figure 1. Hot and cold water flow on either side of the plates to promote heat transfer. Table 1 is the technical data needed to do calculations in conjunction with the experimental data you obtain from the practical session for the plate heat exchanger.

Table 1: Technical data for plate heat exchanger

Number of active plates	5
Plate overall dimensions	75 mm x 115 mm
Effective diameter	3 mm
Plate thickness	0.5 mm
Wetted perimeter	153 mm
Projected heat transfer area	0.008 m ² per plate
Correction factor for LMTD	0.95

3.2. Shell and tube exchanger

This type of exchanger consists of a number of tubes in parallel enclosed in a cylindrical shell. Heat is transferred between one fluid stream flowing through the tubes and another fluid stream flowing through the cylindrical shell around the tubes. A schematic representation of the shell and tube heat exchanger appears in Figure 2. The exchanger is operated in counterflow configuration.

Table 2: Technical data for shell and tube heat exchanger

Number of tubes	7
Heat transfer length of each tube	0.144 m
Tube inside diameter	0.00515 m
Tube outside diameter	0.00635 m

The specific heat capacity and density appears in Table 3 and Table 4 in the Appendix, respectively, for both heat exchangers.

4. Experimental procedure

- a) Set the power setting for the water heater to 40%.
- b) Set the hot water pump to 30%.
- c) Set the cold-water pump to 30%.
- d) Wait for the thermocouple readings to stabilize, indicating steady state has been achieved.
- e) Record the all the temperature readings and flow rates (for both the hot and cold-water streams).
- f) Repeat steps b) to e) for the 3 cases summarized in Table 3.

Table 3: Experimental conditions

Case	1	2	3
Cold water pump setting [%]	60	60	30
Hot water pump setting [%]	30	60	30

- g) Repeat steps b) to f) at a water heater power setting of 80%

5. Questions

- a) Determine the heat balance for the heat exchangers through measurements of the temperatures and mass flow rates of the fluids.
- b) Determine the effective heat transfer areas and LMTD between the two fluids.
- c) Determine the overall heat transfer coefficients (h).
- d) Determine the mean temperature efficiency.
- e) Determine the Reynolds number (Re) and Nusselt number (Nu).
- f) Determine the number of transfer units (NTU) and effectiveness (ϵ) of the shell and tube heat exchanger only.
- g) Plot on a graph Nu versus Re and h versus Re

6. Report

Submit a complete report containing the following:

- a) Goal
- b) Objectives
- c) Schematic of the experimental set-up (not a photo)
- d) Results (raw data) and answers to all the questions above (including one sample calculation for h and Nu)
- e) Graphs from (g) and also plot LMTD, Nu and ϵ versus Reynolds number.
- f) Discussion of results and paying special attention to:
 - Critically analyse the experimental set-up and discuss its limitations.
 - Comment on the effects of changing in the cold water side flow rate and what would you expect if we change the hot water side flow rate.
 - Comment in the effect of countercurrent flow versus concurrent flow.
 - Compare on the performance of the plate heat exchanger in comparison to the shell and tube heat exchanger and comment on the differences.
 - Comment on what could be expected if the working fluid changed.

- g) Conclusions
- h) Nomenclature




Figure 1: Counter current plate heat exchanger (Armfield, 2010)




Figure 2: Schematic of the shell and tube heat exchanger (Armfield, 2010)

PRACTICAL: EXTENDED TUBULAR HEAT EXCHANGER *

*** This practical is only listed here for future use**

1. Goal

The goal of this experiment is:

- To demonstrate the differences between parallel and counter volume fluid flows in tubular heat exchangers;
- To determine the Overall Heat Transfer Coefficient using the Logarithmic Mean Temperature Difference (LMTD) method;
- Investigate the effect of changes in hot and cold fluid flow rates on the Temperature Efficiencies and Overall Heat Transfer Coefficients.

2. Preparation

To prepare for the practical, do the following:

- Read Cengel 11.1 – 11.5 (included).
- Make certain that you understand the principle of operation of the heat exchanger and the calculation of U-value, LMTD, NTU and \dot{Q} to characterise the heat exchanger. You need to understand the calculation of \dot{Q} for various fluid flow speeds. You must be able to analyse both parallel- and counter flow configurations.
- Identify the equations in Tables 11.4 and 11.5 which are applicable.
- What do you understand by the properties of fluids that vary with temperature?
- Do you know what a balanced heat exchanger is? Do you know how to calculate the LMTD in this case?
- How do you measure the temperature of a fluid in a tube?
- What is the principle of operation of a rotameter?

3. Apparatus

The Extended Tubular Heat Exchanger consists of two thin walled concentric (co-axial) tubes, exchanging heat via a metal (stainless steel) wall from the inner tube to the outer annulus, carrying the hot and cold fluid streams, respectively (figure 1).




Figure 1: Heat Transfer process (Armfield, 2010)

The cold fluid stream flows either in the same direction as the hot fluid stream (parallel or concurrent flow) or in the opposite direction (counter or countercurrent flow) of four adjustable sets of concentric tubes, arranged in series in the form of a coil (figure 2 and 3). This configuration has significantly reduced the overall length of the tubes and allowed measurement and monitoring of the temperature along both fluid streams.




Figure 2: Flow configuration (a) Parallel flow; (b) Counter flow (Armfield, 2010)




Figure 3: Temperature profile (a) Parallel flow; (b) Counter flow

Note: This arrangement minimizes heat loss from the inner stainless steel tube to the clear outer tube without the need for additional insulation.

The water flow rates are measured with rotameters, whereas the inlet and outlet temperatures of water are measured with semi-conductor heat sensors, which are placed inside the fluid stream. In addition, a set of valves allows both parallel and counterflow configurations.

4. Experimental Procedure

Using the software:

- a. In the “number of tubes” box, select “4”.
- b. In the “control” box, set “power on”.
- c. Set the “cold flow rate” to about 1 lit/min by adjusting the arrows on the side of the cold water flow rate display box.
- d. Click on the “Heater” control box and set:
 - Set the heater temperature to a set point of 50°C
 - Ensure that the “Proportional Band”, the “Integral Time” and the “Derivative Time” are set to 5%, 200 s and 0 s, respectively.

- Select “Automatic control”
 - Click on “Apply” and then “Ok” to close the controller window.
- e. Click on the “Hot water flow” control box and set:
- Set the hot water flow rate to a set point of 2 lit/min
 - Ensure that the “Proportional Band”, the “Integral Time” and the “Derivative Time” are set to 100%, 3 s and 0 s, respectively
 - Select “Automatic control”
 - Click on “Apply” and then “Ok” to close the controller window.
- f. Allow the temperatures at different stages of the heat exchanger to stabilise by monitoring it closely on the “mimic diagram display” (marked by “A” on figure 4 below). Then select “Sample Configuration” from the “Sample” menu on the top toolbar and select:
- Select “Automatic Sampling Operation”
 - Set “Sample Interval” to 5 seconds.
 - Select “Continuous” Duration of Sampling.
- g. Click on the “GO” icon to record the following:

Table 1: Results sheet for the countercurrent exercise

	Unit	Hot fluid	Cold fluid
Volume flow rate	(lit/min)	F_{hot}	F_{cold}
Inlet Temperature	°C	T1	T6
Intermediate Temperature 1	°C	T2	T7
Intermediate Temperature 2	°C	T3	T8
Intermediate Temperature 3	°C	T4	T9
Outlet Temperature	°C	T5	T10

NOTE: The results sheet may be viewed by selecting the “Table” icon (marked by “B” on figure 5 below).

- h. Adjust hot and cold volume flow rates to:

Table 2: Hot and cold flow rate variations

F_{hot} (lit/min)	F_{cold} (lit/min)
2	1
3	1
2	2
1	2
1	3

NOTE: Allow sufficient time for the flow rates to readjust to newly entered values. This may be monitored using the “Table” icon.

- i. Click on the “Heater” control box and adjust the controller from “Automatic” to “Off”. Click on the “Hot water flow” control box and adjust the hot water pump to the set point of 0 lit/min. Also set the cold water flow control valve to 0%.
- j. Select “Save” from the “File” menu on the top toolbar to save your results sheet as:
- File name: Counter_flow_GroupX

- Save as type: Excel 4.0 or 5.0 file (*.xls)

- k. Select “Load New Experiment” from the “File” menu, select the Cocurrent exercise.
NOTE: The measurements for the concurrent exercise are as follows

Table 3: Results sheet for the concurrent exercise

	Unit	Hot fluid	Cold fluid
Volume flow rate	(lit/min)	F_{hot}	F_{cold}
Inlet Temperature	°C	T5	T6
Intermediate Temperature 1	°C	T4	T7
Intermediate Temperature 2	°C	T3	T8
Intermediate Temperature 3	°C	T2	T9
Outlet Temperature	°C	T1	T10

- l. Repeat steps 1 to 9 as for the countercurrent part of this practical. And later save your results sheet as:
- File name: Parallel_flow_GroupX
 - Save as type: Excel 4.0 or 5.0 file (*.xls)




Figure 4: Software mimic diagram display (Armfield, 2010)

5. Questions

Complete the rest of the practical by finding the answers to the following questions:

- For one set of measurements (of your choice), plot the temperatures at inlet, mid positions and outlet against position, for both parallel and counter flow.
- Determine all fluid properties (Specific Heat, Density and Dynamic Viscosity) using the average fluid temperatures.

- c. Using the fluid properties, determine the Reynolds Number for each set of measurements. Discuss your results.
- d. Using the temperature changes and differences, calculate the heat energy transferred (emitted, absorbed and lost) and the temperature efficiencies. Discuss your results
- e. Using different flow rate combinations of the hot and cold fluids, determine the LMTD and the corresponding Overall Heat Transfer Coefficient for each flow configuration. Discuss your results
- f. Comment on the change in Δt_{hot} and Δt_{cold} when the heat exchanger is converted from parallel to counter flow configuration.

6. Report

The following must be included in a report on your practical: assumptions made, the measured results and conclusions that can be drawn from these results. In addition, compare the performance and comment on the differences between the tubular, plate and shell-and-tube heat exchangers.

Useful information:

Name	Symbol	SI Unit	Notes/Calculation
ID of tube	d_i	m	0.0083
OD of tube	d_o	m	0.0095
ID of shell	d_s	m	0.014
Arithmetic mean diameter of tube	d_m	m	$d_m = \frac{d_o + d_i}{2}$
Heat transmission length	L	m	0.330 per tube
Heat transfer area	A	m ²	$\pi \cdot d_m \cdot L$

Specific Heat Capacity of Water (C_p kJ/kg^oK)

°C	0	1	2	3	4	5	6	7	8	9
0	4.1274	4.2138	4.2104	4.2074	4.2045	4.2019	4.1996	4.1974	4.1954	4.1936
10	4.1919	4.1904	4.1890	4.1877	4.1866	4.1855	4.1846	4.1837	4.1829	4.1822
20	4.1816	4.1810	4.1805	4.1801	4.1797	4.1793	4.1790	4.1787	4.1785	4.1783
30	4.1782	4.1781	4.1780	4.1780	4.1779	4.1779	4.1780	4.1780	4.1781	4.1782
40	4.1783	4.1784	4.1786	4.1788	4.1789	4.1792	4.1794	4.1796	4.1799	4.1801
50	4.1804	4.1807	4.1811	4.1814	4.1817	4.1821	4.1825	4.1829	4.1833	4.1837
60	4.1841	4.1846	4.1850	4.1855	4.1860	4.1865	4.1871	4.1876	4.1882	4.1887
70	4.1893	4.1899	4.1905	4.1912	4.1918	4.1925	4.1932	4.1939	4.1946	4.1954

Density of Water (ρ kg/m³)

°C	0	2	4	6	8
0	999.8	999.9	999.9	999.9	999.9
10	999.7	999.5	999.2	998.9	998.6
20	998.2	997.8	997.3	996.8	996.2
30	995.7	995.0	994.4	993.7	993.0
40	992.2	991.4	990.6	989.8	988.9
50	988.0	987.1	986.2	985.2	984.2
60	983.2	982.2	981.1	980.0	978.9
70	977.8	976.6	975.4	974.2	973.0