

UNIVERSITY OF PRETORIA
DEPARTMENT OF ZOOLOGY & ENTOMOLOGY

PUBLICATION LIST – 2000

Addo-Bediako, A., Chown, S.L. & Gaston, K.J. 2000. Thermal tolerance, climatic variability and latitude. *Proceedings of the Royal Society, London B* **267**, 739-745.

Barendse, J. & Chown, S.L. 2000. The biology of *Bothrometopus elongatus* (Coleoptera, Curculionidae) in a mid-altitude fellfield on sub-Antarctic Marion Island. *Polar Biology* **23**, 346-351.

Bateman P.W. 2000. Mobility and spatial distribution of singing male *Steropleurus stali* Bolivar (Orthoptera: Tettigoniidae: Ehippigerinae) in the field, related to the pairing system and male competition. *Journal of Orthoptera Research* **9**, 45-49.

Bateman P.W. 2000. Burrow residency, access to females and body size in male *Scapsipedus meridianus* (Orthoptera: Gryllidae; Gryllinae, Otte & Cade). *Journal of Orthoptera Research* **9**, 27-29.

Bateman P.W. 2000. The influence of weapon asymmetry on male-male competition success in a sexually dimorphic insect, the African king cricket *Libanasidus vittatus* (Orthoptera: Anostomatidae). *Journal of Insect Behavior* **13**(1), 157-163.

Begemann, G.J. & Schoeman, A.S. 2000. The citrus leafhopper, *Penthimiola bella* Stal (Homoptera: Cicadellidae) in central Northern Province orchards. *Deciduous Fruit Grower* **50**(1), 1-6.

Bennett, N.C. & Faulkes, C.G. 2000. *African Mole-rats: Ecology and Eusociality*. Cambridge University Press.

Bennett, N.C., Faulkes, C.G. & Molteno, A.J. 2000. Reproduction in subterranean rodents. Chapter 4 In: *Life Underground, the biology of subterranean rodents*. Eds G.N. Cameron, E.A. Lacey and J. Patton. Pp 145-177.

Bennett, N.C., Molteno, A.J. & Spinks, A.C. 2000. Pituitary sensitivity to exogenous GnRH in giant Zambian mole-rats, *Cryptomys mechowii* (Rodentia: Bathyergidae): support for the "socially-induced infertility continuum" *Journal of Zoology, London* **252**, 447-452.

Best, P.B. 2000. Coastal distribution, movements and site fidelity of right whales *Eubalaena australis* off South Africa, 1969-1998. *S. Afr. J. mar. Sci.* **22**: 43-55.

Bester, M.N., Bloomer, J.P., Bartlett, P.A., Muller, D.D., van Rooyen, M. & Büchner, H. 2000. Final eradication of feral house cats *Felis catus* from Marion Island. *South African Journal of Wildlife Research* **30**(1), 53-57.

Bester, M.N. & Odendaal, P.N. 2000. Abundance and distribution of Antarctic pack ice seals in the Weddell Sea. In: *Antarctic Ecosystems: Models for Wider Ecological Understanding*. Pp. 51-55 (332

pp). Davison, W., Howard-Williams, C. & Broady, P. (eds), New Zealand Natural Sciences, Canterbury University, Christchurch, New Zealand.

Bloomer, P. & Impson, N.D. 2000. Mitochondrial DNA differentiation in the critically endangered Berg River Redfin (*Pseudobarbus burgii*). *The Journal of Heredity* **91**(2), 122-127.

Bosch, M., Chown, S.L. & Scholtz, C.H. 2000. Discontinuous gas exchange and water loss in the keratin beetle *Omorgus radula*: further evidence against the water conservation hypothesis? *Physiological Entomology* **25**, 309-314.

Chimimba, C.T. 2000. Geographic variation in *Aethomys chrysophilus* (Rodentia: Muridae) from southern Africa. *Z. Säugetierkunde* **65**, 157-171.

Chown, S.L. 2000. Reply from S.L. Chown and K.J. Gaston. *TREE* **15**(12), 514.

Chown, S.L. 2000. Functional Ecosystems. *The Prince Edward Islands. Marine Biodiversity Status Report for South Africa. At the end of the 20th Century.* Eds Durham, B.D. & Pauw, J.C. National Research Foundation, Pretoria.

Chown, S.L. & Clarke, A. 2000. Stress and the geographic distribution of marine and terrestrial animals. In: *Environmental Stressors and Gene Responses*. K.B. Storey & J. Storey, eds. Elsevier, Amsterdam.

Chown, S.L. & Gaston, K.J. 2000. Island-hopping invaders hitch a ride with tourists in the Southern Ocean. *Nature* **408**, 637.

Chown, S.L. & Gaston, K.J. 2000. Cradles, areas and museums: the latitudinal gradient in species richness. *Trends in Ecology and Evolution* **15**(8), 311-315.

Chown, S.L., Gaston, K.J. & Hänel, C. 2000. Gough Island biodiversity study goes ahead. *South African Journal of Science* **96**, 7-8.

Chown, S.L. & Holter, P. 2000. Discontinuous gas exchange cycles in *Aphodius fossor* (Scarabaeidae): a test of hypotheses concerning origins and mechanisms. *The Journal of Experimental Biology* **203**, 397-403.

Clutton-Brock, T.H., Brotherton, P.N.M., O'Rian, M.J., Griffin, A.S., Gaynor, D., Sharpe, L., Kansky, R., Manser, M.B., & McIlrath, G.M. 2000. Individual contributions to babysitting in a cooperative mongoose, *Suricata suricatta*. *Proceedings of the Royal Society, London (B)* **267**, 301-305.

Coe, M. 1998 (issued Sept 2000). The Kalahari. *Trans. Roy. Soc. S. Afr.* **53**(2), 87-92.

Coe, M. 1998 (issued Sept 2000). Some aspects of the interaction between mammalian herbivores and *Acacia erioloba* E. Mey. *Trans. Roy. Soc. S. Afr.* **53**(2), 141-147.

Cooney, R. 1998 (issued Sept 2000). The Damaraland mole-rat: Social life in the Kalahari. *Trans. Roy. Soc. S. Afr.* **53**(2), 219-225.

Cooney, R. & Bennett, N.C. 2000. Inbreeding avoidance and reproductive skew in a cooperative mammal. *Proc. R. Soc. Lond. B* **267**, 801-806.

Davies, R.A.G. & Ferguson, J.W.H. 2000. The influence of predation by black eagles *Aquila verreauxii* on rock hyrax numbers in the Arid Karoo. Pages 519-526 in R.D. Chancellor and B-U. Meyburg (eds) *Raptors at Risk*. WWGBP / Hancock House.

Davis, A.L.V., Chown, S.L., McGeoch, M.A. & Scholtz, C.H. 2000. A comparative analysis of metabolic rate in six *Scarabaeus* species (Coleoptera: Scarabaeidae) from southern Africa: further caveats when inferring adaptations. *Journal of Insect Physiology* **46**, 553-562.

Dawood, A. & Channing, A. 2000. A molecular phylogeny of moss frogs from the Western Cape, South Africa, with the description of a new species. *Journal of Herpetology* **34**(3), 375-379.

Du Toit, J.T. and Broomhall, L.S. 2000. Mammal research in southern Africa: present patterns and future priorities. *South African Journal of Science*, **96**:225-230.

Edomwande, E.O., Schoeman, A.S., Brits, J.A. & van der Merwe, M. 2000. Laboratory evaluation of Lufenuron on immature stages of potato tuber moth (Lepidoptera: Gelechiidae). *Journal of Economic Entomology* **93**(6), 1741-1743.

Erasmus, B.F.N., Kshatriya, M., Mansell, M.W., Chown, S.L. & van Jaarsveld, A.S. 2000. A modelling approach to antlion (Neuroptera: Myrmeleontidae) distribution patterns. *African Entomology* **8**(2), 157-168

Erasmus, B.F.N., van Jaarsveld, A.S., Van Zyl, J. & Vink, N. 2000. The effect of climate change on the farm sector in the Western Cape. *Agrekon*.

Fairbanks, D.H.K. & Benn, G.A. 2000. Identifying regional landscapes for conservation planning in KwaZulu-Natal, South Africa. *Landscape and Urban Planning* **50**, 237-257.

Fairbanks, D.H.K., van Jaarsveld, A.S., Chown, S.L., & Adam, M.P. 2000. South African Biodiversity Monitoring and Assessment Program [BIOMAP SA]. In: *Proceedings of the 28th International Symposium on Remote Sensing of Environment* (27-31 March 2000), (Eds H. Ruther, J. Weber, S. Briggs, P.E. Skrovseth & R. Arnold), pp. 6-9, Cape Town.

Ferreira, S.M. & van Aarde, R.J. 2000. Maintaining diversity through intermediate disturbances: evidence from rodents colonising rehabilitating coastal dunes. *African Journal of Ecology* **38**, 286-294.

Franck, P., Koeniger, N., Lahner, G., Crewe, R.M. & Solignac, M. 2000. Evolution of extreme polyandry: an estimate of mating frequency in two African honeybee subspecies, *Apis mellifera monticola* and *A. m. scutellata*. *Insectes Sociaux* **47**, 364-370.

Getz, W., Fortmann, L., Cumming, D., du Toit, J.T., and Martin, R. 2000. Campfire experiences in Zimbabwe: response. *Science*, **287**:43.

- Grebennikov, V.V. & Maddison, D.R. 2000. Larvae of Bembidini (Coleoptera: Carabidae): Subtribes Tachyina and Xystosomina. *European Journal of Entomology* **97**(2), 223-240.
- Greeff, J.M. & Bennett, N.C. 2000. Causes and consequences of incest avoidance in the cooperatively breeding mole-rat, *Cryptomys darlingi* (Bathyergidae). *Ecology Letters* **3**, 318-328.
- Gussman, S.M.V. & Scholtz, C.H. 2000. Systematic revision of endemic southern African genera of Bolboceratinae (Coleoptera: Scarabaeoidea: Bolboceratidae). *Journal of Natural History* **34**(7), 1045-1123.
- Hazell, R.W.A., Bennett, N.C., Jarvis, J.U.M. & Griffin, M. 2000. Adult dispersal in the cooperatively breeding Damaraland mole-rat, *Cryptomys damarensis*: a case study from the Waterberg region of Namibia. *Journal of Zoology, London*. **252**, 19-25
- Jackson, T.P. 2000. Adaptation to living in an open arid environment: lessons from the burrow structure of the two southern African whistling rats, *Parotomys brantsii* and *P. littledalei*. *Journal of Arid Environments* **46**, 345-355.
- Jackson, T.P. & Skinner, J.D. 1998 (issued Sept 2000). The role of territoriality in the mating system of the springbok *Antidorcas marsupialis*. *Transactions of the Royal Society of South Africa* **53**(2), 271-282.
- Kaunda, S.K.K. 2000. Activity patterns of black-backed jackals at Mokolodi Nature Reserve, Botswana. *S. Afr. J. Wildl. Res.* **30**(4), 157-162.
- Kerley, G.I.H, Allen, B.R. & Bester, M.N. 2000. Comparison of skull morphometrics of male subantarctic fur seals (*Arctocephalus tropicalis*) from Marion and Gough islands. *African Zoology* **35**, 165-171.
- Kirkman, S.P., Wilson, W., Klages, N.T.W., Bester, M.N. & Isaksen, K. 2000. Diet and estimated food consumption of Antarctic fur seals at Bouvetoya during summer. *Polar Biology* **23**, 745-752.
- Klok, C.J. & Chown, S.L. 2000. Lack of cold tolerance in a small, brachypterous sub-Antarctic fly, *Apetaenus litoralis* Eaton (Diptera: Tethinidae) from Marion Island. *African Entomology* **8**(2), 305-308.
- Koch, S.O., Chown, S.L., Davis, A.L.V., Endrödy-Younga, S. & van Jaarsveld, A.S. 2000. Conservation strategies for poorly surveyed taxa: a dung beetle (Coleoptera, Scarabaeidae) case study from southern Africa. *Journal of Insect Conservation* **4**, 45-56.
- Koekemoer, A.C. & van Aarde, R.J. 2000. The influence of food supplementation on a coastal dune rodent community. *African Journal of Ecology* **38**, 343-351.
- Korner, P., Whiting, M.J. & Ferguson, J.W.H. 2000. Interspecific aggression in flat lizards suggests poor species recognition. *African Journal of Herpetology* **49**(2), 139-146.
- Kryger, P., Kryger, U. & Moritz, R.F.A. 2000. Geotypical variability for the tasks of water collecting and scenting in a honey bee colony. *Ethology* **106**, 769-779.

Mace, G.M., Balmford, A., Boitani, L., Cowlshaw, G., Dobson, A.P., Faith, D.P., Gaston, K.J., Humphries, C.J., Vane-Wright, R.I., Lawton, J.H., Margules, C.R., May, R.M., Nicholls, A.O., Possingham, H.P., Rahbek, C. & van Jaarsveld, A.S. 2000. It's time to work together and stop duplicating conservation efforts. *Nature* **405**: 393.

Magano, S.R., Els, D.A. & Chown, S.L. 2000. The feeding patterns of immature stages of *Hyalomma truncatum* and *Hyalomma rufipes* on different hosts. *Experimental and Applied Acarology* **24**, 301-313.

McGeoch, M.A. & Gaston, K.J. 2000. Edge effects on the prevalence and mortality factors of *Phytomyza ilicis* (Diptera, Agromyzidae) in a suburban woodland. *Ecology Letters* **3**, 23-29.

McGeoch, M.A. & Wossler, T.C. 2000. Range expansion and success of the weed biocontrol agent *Trichilogaster acaciaelongifoliae* (Froggatt) (Hymenoptera: Pteromalidae) in South Africa. *African Entomology* **8**(2), 273-280.

McMahon, C.R., Burton, H.R. & Bester, M.N. 2000. Weaning mass and the future survival of juvenile southern elephant seals, *Mirounga leonina*, at Macquarie Island. *Antarctic Science* **12**(2): 149-153.

McMahon, C., Burton, H., McLean, S., Slip, D. & Bester, M. 2000. Field immobilisation of southern elephant seals with intravenous tiletamine and zolazepam. *The Veterinary Record* **146**, 251-254.

Mercer, R.D., Chown, S.L. & Marshall, D.J. 2000. Mite and insect zonation on a Marion Island rocky shore: a quantitative approach. *Polar Biology* **23**: 775-784.

Meyer, V.W., Crewe, R.M., Braack, L.E.O., Groeneveld, H.T. & van der Linde, M.J. 2000. Intracolony demography of the mound-building termite *Macrotermes natalensis* (Haviland) (Isoptera, Termitidae) in the northern Kruger National Park, South Africa. *Insectes Sociaux* **47**, 390-397.

Moltano, A.J. & Bennett, N.C. 2000. Anovulation in non-reproductive Damaraland mole-rats (*Cryptomys damarensis*): Socially induced infertility or lack of copulatory stimulation? *Journal of Reproduction and Fertility*. **119** (1): 35-41

Moritz, R.F.A., Crewe, R.M. & Hepburn, H.R. 2000. Clustering of related workers in the honeybee colony (*Apis mellifera* L.): adaptive process or inevitable pattern? *Apidologie* **31**, 223-233.

Moritz, R.F.A., Simon, U.E. & Crewe, R.M. 2000. Pheromonal contest between honeybee workers (*Apis mellifera capensis*). *Springer LINK: Naturwissenschaften* **87**(9), 395-397.

Mostert, M.A., Schoeman, A.S. & van der Merwe, M. 2000. The toxicity of five insecticides to the Pheretima group, using an artificial soil test. *Pest Management Science* **56**(12), 1093-1097.

- Nel, P.J., Taylor, A., Meltzer, D.G.A. & Haupt, M.A. 2000. Capture and immobilisation of aardvark (*Orycteropus afer*) using different drug combinations. *Journal of the South African Veterinary Association*. **71(1)**: 58-63
- Neumann, P., Koeniger, N., Koeniger, G., Tingek, S., Kryger, P. & Moritz, R.F.A. 2000. Home-site fidelity in migratory honeybees. *Nature* **406**, 474-475.
- Phillips, T.K. & Scholtz, C.H. 2000. A new genus and species of trichome-bearing dung beetle (Coleoptera: Scarabaeidae: Scarabaeinae) from South Africa. *African Entomology* **8(2)**, 227-231.
- O'Riain, M.J., Bennett, N.C., Brotherton, P.N.M., McIlrath, G. & Clutton-Brock, T.H. 2000. Reproductive suppression versus inbreeding avoidance in wild populations of cooperatively breeding meerkats (*Suricata suricatta*). *Behavioural Ecology & Sociobiology* **48(6)**, 471-477.
- Pistorius, P.A., Bester, M.N., Kirkman, S.P. & Boveng, P.L. 2000. Age- and sex-dependent rates of tag loss in southern elephant seals. *Journal of Wildlife Management* **64(2)**, 373-380.
- Purchase, G.K. & du Toit, J.T. 2000. The use of space and prey by cheetahs in Matusadona National Park, Zimbabwe. *South African Journal of Wildlife Research* **30(4)**, 139-144.
- Reyers, B., van Jaarsveld, A.S. & Krüger, M. 2000. Complementarity as a biodiversity indicator strategy. *Proceedings of the Royal Society, London B* **267**, 505-513.
- Reyers, B. & van Jaarsveld, A.S. 2000. Assessment techniques for biodiversity surrogates. *South African Journal of Science* **96**, 406-408.
- Rosenbaum, H.C., Brownell Jr, R.L., Brown, M.W., Schaeff, C., Portway, V., White, B.N., Malik, S., Pastene, L.A., Patenaude, N.J., Baker, C.S., Goto, M., Best, P.B., Clapham, P.J., Hamilton, P., Moore, M., Payne, R., Rowntree, V., Tynan, C.T., Bannister, J.L. and DeSalle, R. 2000. World-wide genetic differentiation of *Eubalaena* questioning the number of right whale species. *Molecular Ecology* **9**: 1793-1802.
- Scholtz, C.H. 2000. Evolution of flightlessness in Scarabaeoidea. *Mitt. Mus. Nat. kd. Berl., Deutsche entomologische Zeitschrift*. **47(1)** 5-28.
- Scholtz, C.H. 2000. Review of insect systematic research in South Africa. *Trans. Roy. Soc. S. Afr.* **54**, 53-63.
- Spinks, A.C., Bennett, N.C., Faulkes, C.G. & Jarvis, J.U.M. 2000. Circulating LH levels and the response to exogenous GnRH in the common mole-rat: implications for reproductive regulation in this social, seasonal breeding species. *Hormones and Behavior* **37**, 221-228.
- Spinks, A.C., Bennett, N.C. & Jarvis, J.U.M. 2000. A comparison of the ecology of two populations of the common mole-rat, *Cryptomys hottentotus hottentotus*: the effect of aridity on food, foraging and body mass. *Oecologia* **125(3)**, 341-349.

- Spinks, A.C., Jarvis, J.U.M. & Bennett, N.C. 2000. Comparative patterns of philopatry and dispersal in two common mole-rat populations: implications for the evolution of mole-rat sociality. *Journal of Animal Ecology* **69**:224-234.
- Stokke, S. & du Toit, J.T. 2000. Sex and size related differences in the dry season feeding patterns of elephants in Chobe National Park, Botswana. *Ecography* **23**, 70-80.
- Styles, C.V. & Skinner, J.D. 2000. The influence of large mammalian herbivores on growth form and utilization of mopane trees, *Colophospermum mopane*, in Botswana's Northern Tuli Game Reserve. *Afr. J. Ecol.* **38**, 95-101.
- Swart, A., Marais, M. & Schoeman, A.S. 2000. Plant nematodes in South Africa. 2. Golf-course putting greens. *African Plant Protection* **6**(1), 35-39.
- Van Aarde, R.J. 1998 (issued Sept 2000). An ecological perspective of reproduction in the Cape porcupine. *Trans. Roy. Soc.S. Afr.* **53**(2), 237-243.
- Van der Merwe, M. 2000. Tooth succession in the greater cane rat *Thryonomys swinderianus* (Temminck, 1827). *Journal of Zoology, London* **251**, 541-545.
- Van Jaarsveld, A.S. & Biggs, H.C. 2000. Broad participation enhances initial steps towards a South African ecosystem observatory system (LTER). *South African Journal of Science* **96**, 63-66.
- Van Rensburg, B.J., Chown, S.L., van Jaarsveld, A.S. & McGeoch, M.A. (2000). Spatial variation and biogeography of sand forest avian assemblages in South Africa. *Journal of Biogeography* **27**(6), 1385-1401.
- Van Rensburg, B.J., McGeoch, M.A., Matthews, W., Chown, S.L. & van Jaarsveld, A.S. 2000. Testing generalities in the shape of patch occupancy frequency distributions using Sand Forest and Mixed Woodland species assemblages. *Ecology* **81**(11), 3163-3177.
- Van Zyl, A. & van der Linde, T.C. de K. 2000. Anatomy and histology of the alimentary canals of the antlion larvae *Furgella intermedia* Markl and *Palpares annulatus* Stitz (Neuroptera: Myrmeleontidae), with reference to their feeding physiology. *African Entomology* **8**(2), 179-188.
- Wessels, K.J., Reyers, B. & van Jaarsveld, A.S. 2000. Incorporating land cover information into regional biodiversity assessments in South Africa. *Animal Conservation* **3**, 67-79.
- Westlin, L.M. & Ferreira, S.M. 2000. Do pouched mice alter litter size through resorption in response to resource availability? *S. Afr. J. Wildl. Res.* **30**(3), 118-121.
- Wossler, T.C., Veale, R.B. & Crewe, R.M. 2000. How queen-like are the tergal glands in workers of *Apis mellifera capensis* and *Apis mellifera scutellata*? *Apidologie* **31**, 55-66.
- Wynen, L.P., Goldsworthy, S.D., Guinet, C., Bester, M.N., Boyd, I.L., Gjertz, I., Hofmeyr, G.J.G., White, R.W.G. & Slade, R. 2000. Post-sealing genetic variation and population structure of two species of fur seal (*Arctocephalus gazella* and *A. tropicalis*). *Molecular Ecology* **9**, 299-314.