

**PUBLICATION LIST – 2005**

Bastos, A.D., Chimimba, C.T., von Taltitz, E., Kirsten, F. & Belmain, S. 2005. Identification of rodent species that play a role in disease transmission to humans in South Africa. *Proceedings of the Southern African Society for Veterinary Epidemiology & Preventive Medicine*, pp. 78-83.

Bateman, P.W. & Fleming, P.A. 2005. Direct and indirect costs of limb autotomy in field crickets (*Gryllus bimaculatus*). *Animal Behaviour* **69**, 151-159.

Bateman, P.W., Verburgt, L. & Ferguson, J.W.H. 2005. Exposure to male song increases rate of egg development in the cricket *Gryllodes sigillatus*. *African Zoology* **40**(2), 323-326.

Begg, C.M., Begg, K.S., Du Toit, J.T. & Mills, M.G.L., 2005. Life-history variables of an atypical mustelid, the honey badger *Mellivora capensis*. *Journal of Zoology, London* **265**, 17-22.

Begg, C.M., Begg, K.S., Du Toit, J.T. & Mills, M.G.L., 2005. Spatial organization of the honey badger *Mellivora capensis* in the southern Kalahari: home-range size and movement patterns. *Journal of Zoology, London* **265**, 23-35.

Best, P.B., Reeb, D., Rew, M.B., Palsbøll, P., Schaeff, C., and Brandao, A. 2005. Biopsying southern right whales: their reactions and effects on reproduction. *Journal of Wildlife Management* **69**(3), 1171-1180.

Bester, M.N. & Hofmeyr, G.J.G. 2005. Numbers of elephant seals at Prince Edward Island, Southern Ocean. *South African Journal of Wildlife Research* **35**(1), 85-88.

Bonfil, R., Meyer, M., Scholl, M.C., Johnson, R., O'Brien, S., Oosthuizen, H., Swanson, S., Kotze, D. & Paterson, M. 2005. Transoceanic migration, spatial dynamics, and population linkages of white sharks. *Science* **310**, 100-103.

Brettschneider, H. & Bateman, P.W. 2005. Differential shelter selection in response to predator chemical cues by two orthopterans: *Libanasidus vittatus* (Anostomatidae) and *Platygyrillus primiformis* (Gryllidae). *Journal of Insect Behavior* **18**, 381-387.

Cameron, E.Z. and du Toit, J.T. 2005. Social influences on vigilance behaviour in giraffes, *Giraffa camelopardalis*. *Animal Behaviour* **69**, 1337-1344.

Carbone, C., Frame, L., Frame, G., Malcolm, J., Fanshawe, J., FitzGibbon, C., Schaller, G., Gordon, I.J., Rowcliffe, J.M. & Du Toit, J.T. 2005. Feeding success of African wild dogs (*Lycaon pictus*) in the Serengeti: the effects of group size and kleptoparasitism. *Journal of Zoology, London* **266**, 153-161.

Cassens, I., Van Waerebeek, K., Best, P.B., Tzika, A., Von Helden, A., Crespo, E.A. & Milinkovitch, M.C. 2005. Evidence for male dispersal along the coasts but no migration in pelagic waters in dusky dolphins (*Lagenorhynchus obscurus*). *Molecular Ecology* **14**, 107-121.

- Chimimba, C.T. 2005. Phylogenetic relationships in the genus *Aethomys* (Rodentia: Muridae). *African Zoology* **40**(2), 271-284.
- Chimimba, C.T. & Bennett, N.C. 2005. Order Rodentia. Pp 77-209. In: *Mammals of the Southern African Subregion* (3<sup>rd</sup> ed.) (J.D. Skinner & C.T. Chimimba, Revisers). Cambridge University Press, Cambridge. ISBN 0-521-84418-5.
- Davis, A.L.V. & Philips, T.K. 2005. Effect of deforestation on a southwest Ghana dung beetle assemblage (Coleoptera: Scarabaeidae) at the periphery of Ankasa Conservation Area. *Environmental Entomology* **34**(5), 1081-1088.
- Davis, A.L.V., Scholtz, C.H. & Deschodt, C. 2005. A dung beetle survey of selected Gauteng nature reserves: implications for conservation of the provincial scarabaeine fauna. *African Entomology* **13**(1), 1-16.
- De Bruyn, P.J.N., Bester, M.N., Kirkman, S.P., Mecereno, S., Roux, JP. & Klages, N.T.W. 2005. Cephalopod diet of the Cape fur seal, *Arctocephalus pusillus pusillus*, along the Namibian coast: variation due to location. *African Zoology* **40**(2), 261-270.
- De Bruyn, P.J.N. & Cooper, J. 2005. Who's the boss? Giant petrel arrival times and interspecific interactions at a seal carcass at sub-Antarctic Marion Island. *Polar Biology* **28**, 571-573.
- De Graaf, J., Schoeman, A.S. & Brandenburg, R.L. 2005. Stridulation of *Gryllotalpa africana* (Orthoptera: Gryllotalpidae) on turf grass in South Africa. *Florida Entomologist* **88**(3), 292-299.
- De Graaf, J., Govender, P., Schoeman, A.S. & Viljoen, A. 2005. Efficacy of pseudostem and pheromone seasonal trapping of the banana weevil *Cosmopolites sordidus* in South Africa. *International Journal of Pest Management* **51**(3), 209-218.
- Delport, W., Ferguson, J.W.H. & Bloomer, P. 2005. Characterization of six microsatellite loci in the African wild silk moth *Gonometa postica* Lasiocampidae. *Molecular Ecology Notes* **5**(4), 860-862.
- De Villiers, M.S. & de Bruyn, P.J.N. 2004 (only appeared in 2005). Stone-swallowing by three species of penguins at Sub-Antarctic Marion Island. *Marine Ornithology* **32**, 185-186.
- Dietemann, V., Peeters, C. & Hölldobler, B. 2005. Role of the queen in regulating reproduction in the bulldog ant *Myrmecia gulosa*: control or signalling? *Animal Behaviour* **69**, 777-784.
- Dietemann, V., Peeters, C. & Hölldobler, B. 2005. Changes in cuticular hydrocarbons of future reproductives correlate with the triggering of worker policing in the bulldog ant *Myrmecia gulosa*. *Behav. Ecol. Sociobiol.* **58**, 486-496.
- Dippenaar-Schoeman, A.S., van den Berg, A.M., van den Berg, M.A. & Foord, S.H. 2005. Spiders in avocado orchards in the Mpumalanga Lowveld of South Africa: species diversity and abundance. *African Plant Protection* **11**, 8-16.

- Dippenaar-Schoeman, A.S., van der Walt, A.E., de Jager, M., le Roux, E. & van den Berg, A. 2005. The spiders of the Swartberg Nature Reserve in South Africa (Arachnida: Araneae). *Koedoe* **48**(1), 77-86.
- Durand, D.T., Boshoff, H.M., Michael, L.M. & Krecek, R.C. 2005. Survey of nematophagous fungi in South Africa. *Onderstepoort Journal of Veterinary Research* **72**, 185-187.
- Du Toit, J.T. & Yetman, C.A. 2005. Effects of body size on the diurnal activity budgets of African browsing ruminants. *Oecologia* **143**, 317-325.
- Foord, S.H. & Dippenaar-Schoeman, A.S. 2005. A revision of the Afrotropical species of *Hersiliola* Thorell and *Tama* Simon with the description of a new genus *Tyrotama* (Araneae: Hersiliidae). *African Entomology* **13**(2), 255-279.
- Foord, S.H. & Dippenaar-Schoeman, A.S. 2005. First records of the genus *Neotama* Baehr & Baehr (Araneae: Hersiliidae) from the Afrotropical Region. *African Invertebrates* **46**, 125-132.
- Forgie, S.A., Philips, T.K. & Scholtz, C.H. 2005. Evolution of the Scarabaeini (Scarabaeidae: Scarabaeinae). *Systematic Entomology* **30**, 60-96.
- Fornara, D.A. & Dalling, J.W., 2005. Post-dispersal removal of seeds of pioneer species from five Panamanian forests. *Journal of Tropical Ecology* **21**, 27-84.
- Frolov, A.V. & Scholtz, C.H. 2004 (only appeared in 2005). Revision of the southern African genus *Macroderes* Westwood (Coleoptera: Scarabaeidae: Scarabaeinae). *Ann. Soc. entomol. Fr. (n.s.)* **40** (3-4), 373-393.
- Frolov, A.V. & Scholtz, C.H. 2005. Revision of the southern African genus *Frankenbergerius* Balthasar with description of new taxa (Coleoptera: Scarabaeidae: Scarabaeinae). *Journal of Natural History* **39**(25), 2355-2377.
- Gebeyehu, S., Hurley, B. & Wingfield, M.J. 2005. A new lepidopteran insect pest discovered on commercially grown *Eucalyptus nitens* in South Africa. *South African Journal of Science* **101**, 26-28.
- Govender, P. & Wingfield, M.J. 2005. Overview on the entomological research in the Mediterranean forest ecosystems of South Africa. In: *Entomological Research in Mediterranean Forest Ecosystems*. Lieutier, F. & Ghaïoule, D., Eds. Pp 43-52. Science Update. INRA, Paris, France.
- Grainger, M., van Aarde, R. & Whyte, I. 2005. Landscape heterogeneity and the use of space by elephants in the Kruger National Park, South Africa. *African Journal of Ecology* **43**, 369-375.
- Grebennikov, V.V. & Maddison, D.R. 2005. Phylogenetic analysis of Trechitae (Coleoptera: Carabidae) based on larval morphology, with a description of first-instar *Phrypeus* and a key to genera. *Systematic Entomology* **30**, 38-59.
- Guldemon, R.A.R., Lehman, E.R., Ferreira, S.M. & van Aarde, R.J. 2005. Elephant numbers in Kafue National Park, Zambia. *Pachyderm* **39**, 50-56.

- Haddad, C.R., Dippenaar-Schoeman, A.S. & Pekar, S. 2005. Arboreal spiders (Arachnida: Araneae) in pistachio orchards in South Africa. *African Plant Protection* **11**, 32-41.
- Haddad, C.R., Louw, S. vd M. & Dippenaar-Schoeman, A.S. 2005. Spiders (Araneae) in ground covers of pistachio orchards in South Africa. *African Plant Protection* **10(2)**, 97-107.
- Hofmeyr, G.J.G., Kirkman, S.P. & Bester, M.N. 2005. Leucistic Antarctic fur seals at Bouvetoya. *Polar Biology* **20**, 77-79.
- Hofmeyr, G.J.G., Krafft, B.A., Kirkman, S.P., Bester, M.N., Lydersen, C. & Kovacs, K.M. 2005. Population changes of Antarctic fur seals at Nyrøysa, Bouvetøya. *Polar Biology* **28**, 725-731.
- Hofs, J-L., Schoeman, A., Mellet, M. & Vaissayre, M. 2005. Impact des cotonniers génétiquement modifiés sur la biodiversité de la faune entomologique: Le cas du coton Bt en Afrique du Sud. *International Journal of Tropical Insect Science* **25(2)**, 63-72.
- Holter, P. & Scholtz, C.H. Are ball-rolling (Scarabaeini, Gymnopleurini, Sisyphini) and tunnelling scarabaeine dung beetles equally choosy about the size of ingested dung particles? *Ecological Entomology* **30**, 1-6.
- Jackson, C.R. & Bennett, N.C. 2005. Is the Natal mole-rat (*Cryptomys hottentotus natalensis*) a spontaneous or induced ovulator? *Journal of Mammalogy* **86(1)**, 1-6.
- Jacobs, D.H. & Neser, S. 2005. *Thaumastocoris australicus* Kirkaldy (Heteroptera: Thaumastocoridae): a new insect arrival in South Africa, damaging to eucalyptus trees. *South African Journal of Science* **101**, 233-236.
- Kalamatianos, T., du Toit, L., Hrabovszky, E. Kallo, I., Marsh, P.J., Bennett, N.C. & Coen, C.W. 2005. Characterization of gonadotrophin-releasing hormone precursor cDNA in the Old World mole-rat *Cryptomys hottentotus pretoriae*: High degree of identity with the New World guinea pig sequence. *Journal of Neuroendocrinology* **17**, 265-268.
- Kaliszewska, Z.A., Seger, J., Rowntree, V.J. Barco, S.G., Benegas, R., Best, P.R., Brown, M.W., Brownell Jr, R.L., Carribero, A., Harcourt, R., Knowlton, A.R., Marshall-Tilas, K., Patenaude, N.J., Rivarola, M., Schaeff, C.M., Sironi, M., Smith, W.A. & Yamada, T.K. 2005. Population histories of right whales (Cetacea: *Eubalaena*) inferred from mitochondrial sequence diversities and divergences of their whale lice (Amphipoda: *Cyamus*). *Molecular Ecology* **14**, 3439-3456.
- Keith, M., Chimimba, C.T., Reyers, B. & van Jaarsveld, A.S. 2005. Taxonomic and phylogenetic distinctiveness in regional conservation assessments: A case study based on extant South African Chiroptera and Carnivora. *Animal Conservation* **8**, 279-288.
- Khoza, T.T., Dippenaar, S.M. & Dippenaar-Schoeman, A.S. 2005. The biodiversity and species composition of the spider community of Marion Island, a recent survey (Arachnida: Araneae). *Koedoe* **48(2)**, 103-107.
- Kryger, U., Deschodt C., Scholtz C.H. 2005. Effects of fluazuron and ivermectin treatment of cattle on the structure of dung beetle communities. *Agriculture, Ecosystems and Environment*. **105**, 649-656.

- Lacruz, R. & Maude, G., 2005. Bone accumulations at brown hyena (*Parahyanena brunnea*) den sites in the Makgadikgadi Pans, Northern Botswana: Taphonomic, behavioral and palaeoecological implications. *Journal of Taphonomy* 3 (1), 43-54.
- Lange, S., Burda, H., Bennett, N.C. & Nemeč, P. 2005. Middle ear ossicles as a diagnostic trait in African mole-rats (Rodentia: Bathyergidae). *African Biodiversity: Molecules, Organisms, Ecosystems*. Proc. 5<sup>th</sup> Intern. Symp. Trop. Biol., Museum Koenig, Bonn (BA Huber, BJ Sinclair, K-H Lampe, eds). Springer Verlag. Pp. 329-337.
- Lattorff, H.M.G., Kryger, P. & Moritz, R.F.A. 2005. Queen developmental time and fitness consequences for queens of clonal social parasitic honeybees (*A.m. capensis*) and its host *A.m. scutellata*. *Insectes Sociaux* 52, 238-241.
- Lichtenfels, J.R., Kharchenko, V.A., Kuzmina, T.A. & Krecek, R.C. 2005. Differentiation of *Cylicocyclus gyalcephaloides* of *Equus burchelli* from *Cylicocyclus insigne* of *Equus caballus* (Strongyloidea: Nematoda). *Comparative Parasitology* 72(1), 108-115.
- Lindsey, P.A., Alexander, R., du Toit, J.T. & Mills, M.G.L. 2005. The cost efficiency of wild dog conservation in South Africa. *Conservation Biology* 19(4), 1205-1214.
- Lindsey, P.A., Alexander, R.R., Du Toit, J.T., & Mills, M.G.L. 2005. The potential contribution of ecotourism to African wild dog *Lycaon pictus* conservation in South Africa. *Biological Conservation* 123, 339-348.
- Lubisi, B., Bastos, A.D.S., Dwarka, R.M. & Vosloo, W. 2005. Molecular epidemiology of African swine fever in East Africa. *Archives of Virology* 150, 2439-2452.
- Mace, G.M., Baillie, J., Masundire, H., Ricketts, T.H., Brooks, T.M., Hoffmann, M., Stuart, S., Balmford, A., Purvis, A., Reyers, B., Wang, J., Revenga, C., Kennedy, E.T., Naeem, S., Alkemade, R., Allnutt, T., Bakarr, M., Bond, W., Chanson, J., Cox, N., Fonseca, G., Hilton-Taylor, C., Loucke, C., Rodrigues, A., Sechrest, W., Stattersfield, A.J., van Rensburg, B. & Whiteman, C. 2005. Biodiversity. In: *Millennium Ecosystem Assessment: Current State and Trends: Findings of the Condition and Trends Working Group*. *Ecosystems and Human Well-being*, vol. 1. Island Press, Washington DC.
- Maswanganye, K.A., Malherbe, G.P. & Bennett, N.C. 2005. Ultrastructure of epididymal spermatozoa in three social African mole-rats of the genus *Cryptomys* (Rodentia: Bathyergidae). *African Zoology* 40(2), 293-300.
- McMahon, C.R., Bester, M.N., Burton, H.R., Hindell, M.A. & Bradshaw, C.J.A. 2005. Population status, trends and a re-examination of the hypotheses explaining the recent declines of the southern elephant seal *Mirounga leonina*. *Mammal Review* 35(1), 82-100.
- McMahon, C.R., Hindell, M.A., Burton, H.R. & Bester, M.N. 2005. Comparison of southern elephant seal populations, and observations of a population on a demographic knife-edge. *Marine Ecology Progress Series* 288, 273-283.
- Medina, C.A. & Scholtz, C.H. 2005. Systematics of the southern African genus *Epirinus* Reiche (Coleoptera: Scarabaeinae: Canthonini): descriptions of new species and phylogeny. *Insect Systematics & Evolution* 36(2), 145-160.

Modiba, M.A., Dippenaar, S.M. & Dippenaar-Schoeman, A.S. 2005. A checklist of spiders from Sovenga Hill, an inselberg in the Savanna Biome, Limpopo Province, South Africa (Arachnida: Araneae). *Koedoe* **48**(2), 109-115.,

Moritz, R.F.A. & Crewe, R.M. 2005. The interplay of intracolony genotypic variance and self-organisation of dominance hierarchies in honeybees. Pp. 36-49. In: *Self-organisation and Evolution of Social Systems*. Ed. Charlotte Hemelrijk. Cambridge University Press. ISBN 0-521-84655-2.

Nicolson, S.W., Hoffmann, D. & Fleming, P.A. 2005. Short-term energy regulation in nectar-feeding birds: the response of Whitebellied Sunbirds (*Nectarinia talatala*) to a midday fast. *Functional Ecology* **19**, 988-994.

Nicolson, S.W. & Nepi, M. 2005. Dilute nectar in dry atmospheres: Nectar secretion patterns in *Aloe castanea* (Asphodelaceae). *International Journal of Plant Sciences* **166**(2), 227-233.

Ntumi, C.P., van Aarde, R.J., Fairall, N. & de Boer, W.F. 2005. Use of space and habitat by elephants (*Loxodonta africana*) in the Maputo Elephant Reserve, Mozambique. *South African Journal of Wildlife Research* **35**(2), 139-146.

Oosthuizen, M.K., Bennett, N.C. & Cooper, H.M. 2005. C-fos photic induction in two species of African mole-rat (Family Bathyergidae). *Neuroscience* **133**, 555-560.

Parr, C.L., Sinclair, B.J., Andersen, A.N., Gaston, K.J. & Chown, S.L. 2005. Constraint and competition in assemblages: A cross-continental and modelling approach for ants. *The American Naturalist* **165**(4), 481-494.

Paul, I., van Jaarsveld, A.S., Korsten, L. & Hattingh, V. 2005. The potential global geographical distribution of Citrus Black Spot caused by *Guignardia citricarpa* (Kiely): likelihood of disease establishment in the European Union. *Crop Protection* **24**, 297-308.

Penrith, M-L., Thomson, G.R. & Bastos, A.D.S. 2005. African swine fever. In: *Infectious Diseases of Livestock*, 2<sup>nd</sup> edition, edited by J.A.W. Coetzer & R.C. Tustin. Oxford University Press, pp. 1087-1119. ISBN 019578202X.

Phologane, S.B., Bastos, A.D.S. & Penrith, M-L. 2005. Intra- and inter-genotypic size variation in the central variable region of the 9RL open reading frame of diverse African swine fever viruses. *Virus Genes* **31**(3), 357-360.

Pistorius, P.A., Bester, M.N., Taylor, F.E. 2005. Pubescent southern elephant seal males: population changes at Marion Island and the food limitation hypothesis. *South African Journal of Wildlife Research* **35**(2), 215-218.

Redi, B.H., van Aarde, R.J. & Wassenaar, T.D. 2005 Coastal dune forest development and the regeneration of millipede communities. *Restoration Ecology* **13**, 284-291.

Reeb, D., Duffield, M. and Best, P.B. 2005. Evidence of post-natal ecdysis in southern right whales, *Eubalaena australis*. *J. Mammalogy* **86**(1), 131-138.

Richardson, D.M., Rouget, M., Ralston, S.J., Cowling, R.M., van Rensburg, B.J. & Thuiller, W. 2005. Species richness of alien plants in South Africa: environmental correlates and the relationship with indigenous plant species richness. *EcoScience* **12**(3), 391-402.

Rotherham, L.S., van der Merwe, M., Bester, M.N. & Oosthuizen, W.H. 2005. Morphology and distribution of sweat glands in the Cape fur seal, *Arctocephalus pusillus pusillus* (Carnivora: Otariidae). *Australian Journal of Zoology* **53**(5), 295-300

Roxburgh, L. & Nicolson, S.W. 2005. Patterns of host use in two African mistletoes: the importance of mistletoe-host compatibility and avian disperser behaviour. *Functional Ecology* **19**, 865-873.

Samaai, T., Best, P.B. & Gibbons, M.J. 2005. The taxonomic status of common dolphins *Delphinus* spp. in South African waters. *African Journal of Marine Science* **27**(2), 449-458.

Sankaran, M., Hanan, N.P., Scholes, R.J., Ratnam, J., Augustine, D.J., Cade, B.S., Gignoux, J., Higgins, S.I., Le Roux, X., Ludwig, F., Ardo, J., Banyikwa, F., Bronn, A., Bucini, G., Caylor, K.K., Goughenour, M.B., Diouf, A., Ekaya, W., Feral, C.J., February, E.C., Frost, P.G.H., Hiernaux, P., Hrabar, H., Metzger, K.L., Prins, H.H.T., Ringrose, S., Sea, W., Tews, J., Worden, J. & Zambatis, N. 2005. Determinants of woody cover in African savannas. *Nature* **438**, 846-849.

Scantlebury, M., Oosthuizen, M.K., Speakman, J.R., Jackson, C.R. & Bennett, N.C. 2005. Seasonal field energetics of the Hottentot golden mole at high altitude: an ancient African Afrotherian. *Physiology & Behavior* **84**, 739-745.

Schumann, D.M., Cooper, H.M., Hofmeyr, M.D. & Bennett, N.C. 2005. Circadian rhythm of locomotor activity in the four-striped field mouse, *Rhabdomys pumilio*: a diurnal or crepuscular African rodent. *Physiology & Behavior* **85**, 231-239.

Simon, U.E., Moritz, R.F.A. & Crewe, R.M. 2005. Reproductive dominance among honeybee workers in experimental groups of *Apis mellifera capensis*. *Apidologie* **36**, 413-419.

Skinner, J.D. & Chimimba, C.T. (revisers). 2005. *Mammals of the Southern African Subregion* (3<sup>rd</sup> ed.). Cambridge University Press, Cambridge. ISBN 0-521-84418-5.

Sole, C.L., Scholtz, C.H. & Bastos, A.D.S. 2005. Phylogeography of the Namib Desert dung beetles *Scarabaeus* (*Pachysoma*) MacLeay (Coleoptera: Scarabaeidae). *Journal of Biogeography* **32**, 75-84.

Symes, C.T. & Marsden, S.J. Notes on breeding of Salvadori's Teal *Anas waiguiensis* and other birds in Crater Mountain Wildlife Management Area, Papua, New Guinea. *Bull. B.O.C. (British Ornithologists' Club)* **125**(1), 11-27.

Tambling, C.J. & Du Toit, J.T. 2005. Modelling wildebeest population dynamics: implications of predation and harvesting in a closed system. *Journal of Applied Ecology* **42**, 431-441.

Taylor, W.A., Boomker, J.D.F., Krecsek, R.C., Skinner, J.D. & Watermeyer, R. 2005. Helminths in sympatric populations of mountain reedbeek (*Redunca fulvorufula*) and grey rhebok (*Pelea capreolus*) in South Africa. *Journal of Parasitology* **91**(4), 863-870.

Taylor, W.A., Skinner, J.D. & Krecek, R.C. 2005. Seasonal body condition indices of mountain reedbuck *Redunca fulvorufula* in two areas in South Africa: the grassland and Karoo biomes. *South African Journal of Animal Science* **35**, 19-29.

Thomson, G.R. & Bastos, A.D.S. 2005. Foot-and-mouth disease. In: *Infectious Diseases of Livestock*, 2<sup>nd</sup> edition, edited by J.A.W. Coetzer & R.C. Tustin. Oxford University Press; pp. 1323-1365. ISBN 019578202X.

Van der Merwe, M. & Avenant, N.L. 2004 (only appeared in 2005). The greater canerat, *Thryonomys swinderianus*, is a pest species that is expanding its range in southern Africa. *Navorsing van die Nasionale Museum, Bloemfontein* **20**, III-X.

Van der Merwe, M. & Mostert, T. 2005. Ovarian activity and early embryonic development in the rusty bat, *Pipistrellus rusticus*. *African Zoology* **40**(1), 45-54.

Van der Merwe, Y. & Scholtz, C.H. 2005. New species of flightless Trogidae from South African relict forest fragments. *African Entomology* **13**(1), 181-186.

Van Sandwyk, J. d T. & Bennett, N.C. 2005. Do solitary, seismic signalling Cape mole-rats, *Georychus capensis* demonstrate spontaneous or induced ovulation? *Journal of Zoology, London* **267**, 75-80.

Van Zyl, A., Rambau, R.V. & van der Merwe, M. 2005. Aspects of the anatomy and histology of the alimentary canal of the greater cane rat, *Thryonomys swinderianus*, with reference to its feeding physiology. *African Zoology* **40**(1), 25-36.

Vasicek, C., Malpoux, B., Fleming, P.A. & Bennett, N.C. 2005. Melatonin secretion in the Mashona mole-rat, *Cryptomys darlingi* –influence of light on rhythmicity. *Physiology and Behavior* **83**(5), 689-697.

Vasicek, C.A., Oosthuizen, M.K., Cooper, H.M. & Bennett, N.C. 2005. Circadian rhythms of locomotor activity in the subterranean Mashona mole rat, *Cryptomys darlingi*. *Physiology & Behavior* **84**, 181-191.

Wassenaar, T.D., van Aarde, R.J., Pimm, S.L. & Ferreira, S.M. 2005. Community convergence in disturbed sub-tropical dune forests. *Ecology* **86**, 655-666.