



Notes on completing HIV&AIDS Section

Child PIP v4.0



When completing the HIV&AIDS section, use the HIV&AIDS status at the time of admission (NOT at the time of the audit) as it is the status while alive that determines clinical decision making, and quality of care

Mother: HIV status**Not HIV infected**

- Mother tested antibody negative

HIV infected: on ART

- Mother on ART, including if ART interrupted currently and regardless of whether viral suppression or not

HIV infected: NOT on ART

- Mother not on ART

Unknown

- Insufficient information available to make one of the above choices

Perinatal ARV - this applies to both mother and child!**Guideline followed**

- Guideline refers to the national guideline in use at the relevant time

Guideline NOT followed

- Guideline refers to the national guideline in use at the relevant time

Mother not infected at delivery

- This is automatically greyed out if Mother: HIV status 'Not HIV infected' is selected above

Unknown

- Insufficient information available to make one of the above choices

Feeding in first 6 months

This is self-explanatory. If the child is older, the information is still relevant, as mixed feeding may have contributed to the child's death. If the mother/caregiver cannot remember or does not know, select 'Unknown'.

Child: HIV status**Not HIV infected**

- Child tested antibody or antigen negative, with either an HIV rapid, ELISA, or PCR test, and at least 6 weeks after the cessation of breastfeeding.

HIV exposed (perinatal or ongoing breast milk)

- Mother tested antibody positive in pregnancy, and/or whilst breastfeeding
- A child under 24 months of age with a positive antibody test, but negative PCR test

HIV infected

- A child over 24 months of age with a positive antibody test (rapid, or ELISA test)
- Antigen positive at any age (HIV PCR positive or detectable HIV viral load)

Unknown

- Insufficient information available to make one of the above choices

PCP prophylaxis (cotrimoxazole) - this applies to the child

Record the child's experience of cotrimoxazole prophylaxis, used currently or any time prior to presentation ("Interrupted")

Exclude therapeutic cotrimoxazole.

ART (child)

'ART' refers to exposure to any antiretroviral therapy, apart from PMTCT, used currently or any time prior to presentation ("Interrupted")