



















INDIGEN Architects			University of Pretoria Post Office & Garden Services Building	500 SANITARY SCHEDULE REVISION 0 DATE 2024-03-06
CODE	IMAGE	QUANTITIES	SUPPLIER CODE	DESCRIPTION
S01	HWB	7		
		7	SKU: 706601WH	Vaal Midi Weaver Rectangular Counter Top Basin 1 Taphole 450X350 White Product Notes: 450x350mm rectangular counter top or wall hungbasin with 1 taphole and integrated overflow
		7	SKU: 8448Z000/N	Cobra Basin Fixing Bolt Set 10Mm Product Notes: Basin Fixing Bolt Set 10mm - Set of 2.
		7	SKU: LO-214-15/NV	Cobra Ledimo Original Pillartap Round 15mm Chrome Plated. Product Notes: Cobra Ledimo Original Chrome plated pillar tap including hot & cold indices. The original cross handle design. 1/2" BSP male connection end. With Cobra EasySwitch technology enabling your handle to be replaced by one of a different Cobra Original design. Cobra Genuine spare parts available. Cobra TeamAssist service team on call. Includes a 20 year LIXIL Africa warranty.



INDIGEN Architects			University of Pretoria Post Office & Garden Services Building	500 SANITARY SCHEDULE REVISION 0 DATE 2024-03-06
CODE	IMAGE	QUANTITIES	SUPPLIER CODE	DESCRIPTION
		7	232-10/NV	Cobra Angle Valve Chrome Plated Product Notes: Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.
		7	SKU: 340/N	Bottle trap: With adjustable telescopic waste connection pipe. 1 1/4BSP female inlet connection. 1 1/4BSP male iron outlet connection. Brass body. Comes with waste adaptor 1 1/4 to 1 1/2 BSP & outlet adaptors 1 1/4 & 1 1/2
		7	SKU:C-15/350	Cobra Flexi Connection Hose 15/350 1/2 Product Notes: Flexible connector, fxf, chrome
		7	SKU: 301/N	Slotted basin waste with plug: Slotted with flanged back nut and washer, plug with stirrup, chain and stay. 62mm flange, 80mm long shank. 1 1/4BSP Male iron connection end.






INDIGEN Architects			University of Pretoria Post Office & Garden Services Building	500 SANITARY SCHEDULE REVISION 0 DATE 2024-03-06
CODE	IMAGE	QUANTITIES	SUPPLIER CODE	DESCRIPTION
S02	SOAP DISPENSER	7		
		7	SKU: STRX619	Soap dispenser for wall mounting, stainless steel, surface satin finished, front with InoxPlus surface refinement for the reduction of finger marks and better cleaning characteristics (easy to clean), material thickness 1.5 mm, curved front cover, cylinder lock with Franke standard key, inspection window on front, suitable for liquid soaps and lotions, 1 liter soap tank, push button on front, includes stainless steel screws and dowels. Dimensions 186 x 154 x 150 mm (W x H x D)

INDIGEN Architects			University of Pretoria Post Office & Garden Services Building	500 SANITARY SCHEDULE REVISION 0 DATE 2024-03-06
CODE	IMAGE	QUANTITIES	SUPPLIER CODE	DESCRIPTION
S03	URINAL	4		
		4	SKU: 705600WH	Cobra Snug Urinal: Anti-splash flushing design with an efficient 1.9L flush. Versatile top or back entry installation. Compact concealed trapway. Suitable for commercial use. P-trap, hanging bracket set, braided hose 254mm and top inlet connection G1/2 included.
		4	SKU: FJ6-000/N	Uribal Flush Valve: Exposed. Non-hold open feature. With 'Ball O Stop control inlet, wall flange, additional screw and piston for large bowl and stall urinals. 3/4BSP female iron connection end. Recommended optimum design pressures: inlet flow pressure 30 - 500kPa: Maximum system pressure 600kPa.
		4	SKU: FJT5-5/N	Urinal Flush Pipe: Offset, for junior flushmaster urinal flushvalves. 25.4mm diameter inlet adaptor (to be checked), 15mm diameter outlet x 215mm long. 27mm centreline offset.

INDIGEN Architects			University of Pretoria Post Office & Garden Services Building	500 SANITARY SCHEDULE REVISION 0 DATE 2024-03-06
CODE	IMAGE	QUANTITIES	SUPPLIER CODE	DESCRIPTION
S04	WC	6		
		6	SKU:772664WH	Cobra Welcome Close coupled toilet suite 660X414X780. Top, dual flush capability with 3L and 6L flush available. Box rim. Package includes cistern and cistern fittings, pan, seat and cover, connector and installation manual. Cistern manufactured with left hand side inlet hole only as per European standard.
		6	232-10/NV	Cobra Angle Valve Chrome Plated Product Notes: Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.
		6	SKU:C-15/350	Cobra Flexi Connection Hose 15/350 1/2 Product Notes: Flexible connector, fxf, chrome
		6	TR2	Toilet Roll Holder: Stainless Steel

INDIGEN Architects			University of Pretoria Post Office & Garden Services Building	500 SANITARY SCHEDULE REVISION 0 DATE 2024-03-06
CODE	IMAGE	QUANTITIES	SUPPLIER CODE	DESCRIPTION
S05	SHOWER	9		
		9	KP2-6/N	Cobra Shower Head Vandal Resistant 1/2 Chrome Plated
		18	LO-238-15/NV	Cobra Ledimo LP CXC Stoptap 15mm CP Product Notes: Cobra Ledimo Original Chrome plated underwall stop tap including hot & cold indices & flange. The original cross handle design. 15mm copper to copper compression connection ends. Made with de-zincification resistant brass for increased durability. With Cobra EasySwitch technology enabling your handle to be replaced by one of a different Cobra Original design. Cobra Genuine spare parts available. Cobra TeamAssist service team on call. Includes a 20 year LIXIL Africa warranty.
		9	373SQ/N	Cobra Shower P Trap Square 1&1/2FI Rough Brass Product Notes: Shower type. With shallow seal and Grating. 1 1/2BSP female iron outlet connections. Square grating.

INDIGEN Architects			University of Pretoria Post Office & Garden Services Building	500 SANITARY SCHEDULE REVISION 0 DATE 2024-03-06
CODE	IMAGE	QUANTITIES	SUPPLIER CODE	DESCRIPTION
S06	SINK	1		
		1	103.0040.346	Franke Trendline 711 SEB 1000x460mm, Drop on, Stainless Steel. 38mm Waste outlet, fittings not included.
		1	SKU: 206EXT-15/NV	Cobra Star Original Light Pattern Extended Bibtap 1/2 MI Chrome Plated. Product Notes: Cobra Star Original Chrome plated extended length bib tap including hot & cold indices & flange. The original star-shaped design. 1/2" BSP male connection end. Made with de-zincification resistant brass for increased durability. With Cobra EasySwitch technology enabling your handle to be replaced by one of a different Cobra Original design. Cobra Genuine spare parts available. Cobra TeamAssist service team on call. Includes a 20 year LIXIL Africa warranty.

INDIGEN Architects			University of Pretoria Post Office & Garden Services Building	500 SANITARY SCHEDULE REVISION 0 DATE 2024-03-06
CODE	IMAGE	QUANTITIES	SUPPLIER CODE	DESCRIPTION
S07	STAFF KITCHEN & POST OFFICE KITCHEN	2		
		2	101.0312.552	Franke Projectline PLN 621 1160x460mm, Inset, Stainless Steel.38mm Waste.
		4	232-10/NV	Cobra Angle Valve Chrome Plated Product Notes: Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.
		2	SKU: LO-296/NV	Cobra Ledimo Original Light Pattern Pillar Type Sink Mixer Chrome Plated. Product Notes: Cobra Ledimo Original Chrome plated, deck-mounted sink mixer with aerated swivel spout. The original cross handle design. 2 X 1/2" BSP male iron connection ends. Made with de-zincification resistant brass for increased durability. With Cobra EasySwitch technology enabling your handle to be replaced by one of a different Cobra Original design. Cobra Genuine spare parts available. Cobra TeamAssist service team on call. Includes a 20 year LIXIL Africa warranty.
		4	SKU: 311/N	Cobra Waste Sink Heavy Unslotted 1&1/2 Chrome Plated. Product Notes: Unslotted. With flanged back nut and washer, plug with stirrup. 86mm Ø flange, 93mm long shank. 1 1/2BSP Male iron connection end.
		4	SKU:C-15/350	Cobra Flexi Connection Hose 15/350 1/2 Product Notes: Flexible connector, fxf, chrome

INDIGEN Architects			University of Pretoria Post Office & Garden Services Building	500 SANITARY SCHEDULE REVISION 0 DATE 2024-03-06
CODE	IMAGE	QUANTITIES	SUPPLIER CODE	DESCRIPTION